

608 424 9080 • Fax 608 424 9081





















Railing • Fencing • Arbors

Pergolas • Deck Lighting • Accessories

www.customcraftdist.com



2021 - MULTIPLIER KEY

Rev. 3.26.21

MULTIPLIER	 	

For Customer Assistance please contact:

Perry Lang - VP of Sales 608.424.9080 ext. 102 perry@customcraftdist.com

Faye Nolden - Account Manager 608.424.9080 ext. 103 faye@customcraftdist.com

Kristina Jensen - Account Manager 608.424.9080 ext. 110 kristina@customcraftdist.com




TABLE OF CONTENTS

ORDERING INFORMATION	TERMS AND CONDITIONS FREIGHT SCHEDULE	1.1 1.2	ORDERING INFORMATION
KEYLINK RAILING	OUTLOOK RAILING AMERICAN RAILING CABLE RAILING	2.2 2.4 2.6	KEYLINK RAILING
REGAL RAILING	SEE REGAL INDEX IN REGAL TAB	3.0	REGAL RAILING
VINYL RAILING	TRADITIONS VINYL RAILING SUPERIOR SERIES 200 RAILING TRADITIONS ARCHITECTURAL RAILING	4.1 4.3 4.5	VINYL RAILING
SECONDARY HANDRAIL, POSTS & LINEALS	ALUMINUM SECONDARY HANDRAIL POSTS, CAPS, TRIMS, & LINEALS	5.1 5.2	SECONDARY HANDRAIL, POSTS & LINEALS
LIGHTING	PLACID POINT LIGHTING LMT LOW VOLTAGE LIGHTING LMT SOLAR LIGHTING	6.0 6.1 6.3	LIGHTING
PERGOLAS/ARBORS OUTDOOR SPECIALTIES	PERGOLAS	7.1	PERGOLAS/ARBOR OUTDOOR SPECIALTIES
FENCING	FENCING	8.0	FENCING

 121 COUNTRYSIDE DRIVE
 PHONE: 608.424.9080
 WWW.CUSTOMCRAFTDIST.COM

 BELLEVILLE, WI 53508
 FAX: 608.424.9081
 2/18/2021

TERMS AND CONDITIONS



ORDERS:

All orders must be received via fax or email and are subject to acceptance. An order acknowledgment will be faxed or emailed within two (2) business days. Errors or omissions within the acknowledgement are the responsibility of the customer. Acknowledgments will list shipping date which is the estimated date your order will ship. Every effort will be made to meet this date but it is not a guarantee. All fencing is made to order and is subject to lead times in effect at the time of order.

SHIPPING

All shipping is FOB Origin. Shipping charges will be shown on our order acknowledgment. Refer to Freight Schedule for standard shipping charges.

DAMAGES AND SHORTAGES:

Please immediately inspect all product received for damage or shortage. Visible damage or shortage must be noted on bill of lading. Hidden damage or shortage must be reported to Custom Craft Distribution, Inc. within two (2) business days of delivery.

RETURNS:

All returns require an RMA number from Custom Craft. Items may be returned within 90 days from purchase date if they are unopened, undamaged, and in resaleable condition. Fencing, non-stock, or special order items may not be returned. Parts, pieces and discontinued items may not be returned. Credit will be given at the invoice price less a 25% restocking fee. All return shipping charges are the responsibility of the customer. Credit will NOT be issued for any opened, used, damaged products, or for any kit parts and pieces. Items not returnable that are delivered to Custom Craft will be disposed of at Custom Craft's discretion.

TERMS AND CREDIT:

Standard payment terms are Net 30 days from invoice date. Past due accounts may incur a service charge according to the terms and conditions of your account. Customer credit approval is required prior to order processing. Failure to maintain terms will result in the suspension of credit.

PRICES AND AVAILABILITY:

Prices and availability are subject to change without notice. The possession of this catalog by any firm or individual should not be considered an offer to sell the products listed or at the prices specified herein.

DISCLAIMER OF WARRANTIES:

The written warranty of the manufacturer of any product described herein will be assigned to the buyer. Custom Craft is not responsible for the manufacturer's compliance with any or all of the terms of its warranty.

FREIGHT SCHEDULE



ZONE 1:

Illinois (ZIP CODES 600-605, 607-620, 622-629)

Iowa

Minnesota

Missouri (ZIP CODES 630-631, 633)

Nebraska (DELIVERY TO CERTAIN ZIP CODES RESTRICTED CONTACT CUSTOM CRAFT FOR DETAILS)

North Dakota (DELIVERY TO CERTAIN ZIP CODES RESTRICTED CONTACT CUSTOM CRAFT FOR DETAILS)

South Dakota (DELIVERY TO CERTAIN ZIP CODES RESTRICTED CONTACT CUSTOM CRAFT FOR DETAILS)

Wisconsin (FERRY CHARGES APPLY TO 54246, 54850)

RAILINGS AND ACCESSORIES:

All STOCKED* Vinyl, Aluminum, or Cable Railing - Freight Included Unless Oversized (see below):

- -Items over 9' or a length plus girth of 130" or greater may incur a \$70.00 handling charge per item.
- -Items 10' or longer in length will be shipped FOB Shipping Point and may be subject to special handling/pallet charges.
- -All orders with glass will be shipped FOB Shipping Point and may be subject to special handling/pallet charges.
- *All shaded items are considered non-stock or special order and may incur shipping charges.
- *Orders of \$250 or less will incur a handling charge of \$15.00.

FENCING AND ACCESSORIES:

All orders FOB Shipping Point.

ZONE 2:


All areas not listed above will be shipped FOB Shipping Point.

OUTSIDE SUPPLIER/SPECIAL ORDER

Refer to Shipping and Freight Policies for each supplier in their respective catalogs.







Stocked KeyLink Product Lines:

36" tall Outlook Railing
42" tall Outlook Railing
36" American Railing
Horizontal Cable Railing
Vertical Cable Railing
Wood to Wood Cable Connectors


To see the full KeyLink line visit our website: www.customcraftdist.com





Outlook Aluminum Railing

2021 List Price Book



STANDARD COLORS: TEXTURED BLACK (TBL), TEXTURED BRONZE (TBZ), TEXTURED WHITE (TWH), GLOSS BLACK (GBL), GLOSS BRONZE (GBZ),
GLOSS WHITE (GWH), GLOSS BEIGE (GBG), CLAY (CLY), KONA (KNA), SPECKLED WALNUT (SPW), HUNTER GREEN (HGR)

ITEM #	ALUMINUM RAILING LEVEL KITS		STANDARD COLORS
18002	36"x5' RAILING KIT (GWH, TBL, TBZ, TWH ONLY)		181.46
18003	36"x6' RAILING KIT		211.66
18005	36"x8' RAILING KIT		279.11
18013	42"x6' RAILING KIT (TBL, TBZ, GWH ONLY)		278.19
18015	42"x8' RAILING KIT (TBL, TBZ, GWH ONLY)		356.10
ITEM #	ALUMINUM RAILING STAIR KITS		STANDARD COLORS
18008	36"x6' STAIR (32°-36°) RAILING KIT		211.66
18010	36"x8' STAIR (32°-36°) RAILING KIT		279.11
18018	42"x6' STAIR (32°-36°) RAILING KIT (TBL, TBZ, GW	·	278.19
18020	42"x8' STAIR (32°-36°) RAILING KIT (TBL, TBZ, GW	/H ONLY)	356.10
ITEM #	POSTS W/WELDED PLATE		STANDARD COLORS
18307		ALUMINUM POST 2½"x38"	94.54
18311		ALUMINUM POST 2½"x44"	117.73
18410		2½" POST CAP	7.82
18400		2½" POST TRIM	15.60
18610	POST MOUNTING SCREW - WOOD (REQ 4 PER POS	T)	42.48 (24 CT)
18609	POST MOUNTING SCREW - CONCRETE (REQ 4 PER	POST)	42.48 (24 CT)



Outlook Aluminum Railing


2021 List Price Book

STANDARD COLORS: TEXTURED BLACK (TBL), TEXTURED BRONZE (TBZ), TEXTURED WHITE (TWH), GLOSS BLACK (GBL), GLOSS BRONZE (GBZ),
GLOSS WHITE (GWH), GLOSS BEIGE (GBG), CLAY (CLY), KONA (KNA), SPECKLED WALNUT (SPW), HUNTER GREEN (HGR)

	GLOSS WHITE (GWH), GLOSS BEIGE (GBG), CLAY (CLY), KONA (KNA), SPECKLED WALNUT (SPW), HUNTER GREEN (HGR)				
ITEM #	ACCESSORIES		STANDARD COLORS		
18420		LEVEL BRACKET (4 PACK)	45.78		
18421		STAIR BRACKET (4 PACK)	45.78		
18423		VERTICAL SWIVEL BRACKET (4 PACK)	91.54		
18422		HORIZONTAL SWIVEL BRACKET (4 PACK)	91.54		
18424		45° BRACKET (4 PACK)	45.78		
18615	Ĭ	SNAP-ON SECTION SUPPORT	13.84		
18620	SPRAY PAINT - 4.5 OZ. CAN		23.19		
18600	#10x¾" PAN HEAD SCREW (BRACKET TO RAIL)		0.31		
18605	#12x1" FLAT HEAD SCREW (BRACKET TO POST)		0.37		
ITEM #	GATES & HARDWARE				
18200	GATE KIT - 36"x48" (GWH, TBL, TBZ, TWH)		436.52		
35315		STD SELF CLOSE ADJ HINGE PAIR BLACK	61.87		
35380		STD LATCH - 1 SIDE - EXTERNAL KEYED BLACK	35.31		



American Aluminum Railing



STANDARD		E (TBZ), GLOSS WHITE (GWH)	
ITEM #	ALUMINUM RAILING LEVEL KITS - 36" HIGH		STANDARD COLORS
18025	6' RAILING KIT		258.33
18027	8' RAILING KIT		330.67
ITEM #	ALUMINUM RAILING STAIR KITS - 36" HIGH		STANDARD COLORS
18030	6' STAIR RAILING KIT		258.33
18032	8' STAIR RAILING KIT		330.67
ITEM #	POSTS W/WELDED PLATE		STANDARD COLORS
18307		ALUMINUM POST 2½"x38"	94.54
18311		ALUMINUM POST 2½"x44"	117.73
18410		2½" FLAT CAP	7.82
18400		2½" POST TRIM	15.60
18610	POST MOUNTING SCREW - WOOD (REQ 4 PER POST)	•	42.48 (24 CT)
18609	POST MOUNTING SCREW - CONCRETE (REQ 4 PER POS	TT)	42.48 (24 CT)
	1 001 MOOTH ME CONCRETE (MEQ 41 EN 1001)		- 1 - 7



American Aluminum Railing

STANDARD (OLORS: TEXTURED BLACK (TBL), TEXTURED BRONZI	(TBZ), GLOSS WHITE (GWH)	
ITEM #	ACCESSORIES		STANDARD COLORS
18428		LEVEL BRACKET PACK (4 PACK)	45.78
18429		STAIR BRACKET PACK (4 PACK)	45.78
18431		VERTICAL SWIVEL BRACKET (4 PACK)	91.54
18430		HORIZONTAL SWIVEL BRACKET (4 PACK)	91.54
18432		45° BRACKET (4 PACK)	45.78
18460	LL	LEVEL DECKBOARD MOUNT BRACKET (2 PACK)	76.06
18461	UU	STAIR DECKBOARD BRACKET (2 PACK)	76.06
18613	SNAP-ON SECTION SUPPORT		13.84
18620	SPRAY PAINT - 4.5 OZ. CAN		23.19
18600	#10x¾" PAN HEAD SCREW (BRACKET TO RAIL)		0.31
18605	#12x1" FLAT HEAD SCREW (BRACKET TO POST)		0.37
ITEM #	GATES & HARDWARE		
18201	GATE KIT - 36"x48"		460.10
35315		STD SELF CLOSE ADJ HINGE PAIR - BLACK	61.87
35380		STD LATCH - 1 SIDE - EXTERNAL KEYED - BLACK	35.31



American Horizontal Cable Railing



STANDARD (COLORS: TEXTURED BLACK (TBL), TEXTURED BR	ONZE (TBZ), TEXTURED WHITE (TWH), GLOSS WHIT	E (GWH)	
ITEM #	CABLE RAILING LEVEL KITS - 36" HIGH			D COLORS
18084	6' RAILING KIT			3.34
18085	8' RAILING KIT			5.47
ITEM #	CABLE RAILING STAIR KITS - 36" HIGH			D COLORS
18086	6' STAIR RAILING KIT			3.34
18087	8' STAIR RAILING KIT			5.47
ITEM #	POSTS W/WELDED PLATE			D COLORS
18336	END POST - 3½"x38"			1.99
18337	CORNER POST - 3¼"x38"			1.99
18338	LINE POST - 3¼"x38"		154	1.48
18339	LINE POST WITH UPGRADE KIT INSTALLED - 3¼"x38"		411	1.31
18340	STAIR END POST - 3¼"x40"		654	1.99
18341	STAIR LINE POST - 3¼"x40"		167	7.99
18411		3¼" FLAT CAP	8.	63
18405		3%" CABLE POST TRIM	23.34	
18610	POST MOUNTING SCREW - WOOD (REQ 4 PER POST)		42.48	(24 CT)
18609	POST MOUNTING SCREW - CONCRETE (REQ 4 PER POS	T)	42.48	(24 CT)
ITEM #	GATES & HARDWARE		TBL, TBZ	GWH
18241	GATE - 36"x48" (SPECIFY WIDTH OF GATE OPENING)		1,270.44	1,461.01
35315		STD SELF CLOSE ADJ HINGE PAIR - BLACK	61.87	
35380		STD LATCH - 1 SIDE EXTERNAL KEYED - BLACK	35.31	




KEY-LINK American Horizontal Cable Railing

CTANDARD 4			
STANDARD (COLORS: TEXTURED BLACK (TBL), TEXTURED BRONZ ACCESSORIES	E (TBZ), TEXTURED WHITE (TWH), GLOSS WHITE (GWH)	STANDARD COLORS
18450	ACCESSORIES	LEVEL BRACKET PACK (2 PACK)	26.98
18451		STAIR BRACKET PACK (2 PACK)	26.98
18452		HORIZONTAL SWIVEL BRACKET (2 PACK)	53.47
18453		VERTICAL SWIVEL BRACKET (2 PACK)	53.47
18460	LLL	LEVEL DECKBOARD MOUNT BRACKET (2 PACK)	76.06
18461	UU	STAIR DECKBOARD BRACKET (2 PACK)	76.06
18457		DECKBOARD HORIZONTAL SWIVEL BRACKET [0-40°] (2 PACK)	91.54
18620	SPRAY PAINT - 4.5 OZ. CAN		13.84
	#10x¾" PAN HEAD SCREW (BRACKET TO RAIL)		0.31
18605 ITEM #	#12x1" FLAT HEAD SCREW (BRACKET TO POST) CABLE - STAINLESS STEEL		0.37
18470	100' ROLL		121.35
18471	250' ROLL		273.06
18472	500' ROLL		537.85
ITEM #	CABLE TOOLS		
18650		STAINLESS STEEL CABLE CUTTER	131.60
18653		CABLE GRIPPING PLIERS	93.10
18655	CABLE TENSION GAUGE		274.11
18651	CABLE RELEASE TOOL (N/C WITH TOOL PURCHASE)		8.45
18659	CABLE INSTALLATION KIT (N/C WITH CABLE RAIL PURCH	ASE)	4.26
_5555	CADLE INSTALLATION ATT (N/C WITH CADLE NAIL FUNCHASE)		0



American Vertical Cable Railing



Boxed section includes: top & bottom rails, balusters, mounting brackets w/ screws,
section support, and installation guide. Post, caps and trim sold separately.

STANDARD COLORS: TEXTURED BLACK (TBL), TEXTURED BRONZE (TBZ), TEXTURED WHITE (TWH), GLOSS WHITE (GWH)				
ITEM #	ALUMINUM RAILING LEVEL KITS - 36" HIGH		STANDARD COLORS	
18110	6' RAILING KIT		369.27	
18112	8' RAILING KIT		492.37	
ITEM #	ALUMINUM RAILING STAIR KITS - 36" HIGH		STANDARD COLORS	
18115	6' STAIR RAILING KIT		369.27	
18117	8' STAIR RAILING KIT		492.37	
ITEM #	POSTS W/WELDED PLATE		STANDARD COLORS	
18307		ALUMINUM POST 2½"x38"	94.54	
18309		ALUMINUM POST - 2½"x44"	117.73	
18410		2½" FLAT CAP	7.82	
18400		2½" POST TRIM	15.60	
18610	POST MOUNTING SCREW - WOOD (REQ 4 PER POST)		42.48 (24 CT)	
18609	POST MOUNTING SCREW - CONCRETE (REQ 4 PER POST)		42.48 (24 CT)	
ITEM #	GATES & HARDWARE			
18203	GATE - 36"x48"		546.19	
35315		STD SELF CLOSE ADJ HINGE PAIR - BLACK	61.87	
35380		STD LATCH - 1 SIDE EXTERNAL KEYED BLACK	35.31	





American Vertical Cable Railing

STANDARD COLORS: TEXTURED BLACK (TBL), TEXTURED BRONZE (TBZ), TEXTURED WHITE (TWH), GLOSS WHITE (GWH), SILVER (SLV)				
ITEM #	ACCESSORIES		STANDARD COLORS	
18428		LEVEL BRACKET PACK (4 PACK) 45.78		
18429		STAIR BRACKET PACK (4 PACK) 45.78		
18430		HORIZONTAL SWIVEL BRACKET (4 PACK)	91.54	
18431		VERTICAL SWIVEL BRACKET (4 PACK)	91.54	
18432		45° BRACKET (4 PACK)	45.78	
18454		LEVEL DECKBOARD MOUNTING BRACKET (4 PACK)	76.06	
18455	UU	STAIR DECKBOARD MOUNTING BRACKET (4 PACK) 76.06		
18613		SNAP-ON SECTION SUPPORT 13.84		
18650		STAINLESS STEEL CABLE CUTTER 131.60		
18653		CABLE GRIPPING PLIERS 93.10		
18620	SPRAY PAINT - 4.5 OZ. CAN		23.19	
18600	#10x¾" PAN HEAD SCREW (BRACKET TO RAIL)		0.31	
18605	#12x1" FLAT HEAD SCREW (BRACKET TO POST)		0.37	



Wood to Wood Cable Connectors





- 11 sets of connectors needed for 36" tall railing
- 13 sets of connecters needed for 42" tall railing

ITEM #	WOOD TO WOOD POST CONNECTORS		
18480	LEVEL CONNECTORS - 1 PAIR	90.80	
18481	LEVEL CONNECTORS - 10 PAIR		694.54
18482	STAIR CONNECTORS - 1 PAIR		113.62
18483	STAIR CONNECTORS - 10 PAIR		869.09
ITEM #	ACCESSORIES		TBZ, TBL
18484	INTERMEDIATE BALUSTER SUPPORT - LEVEL		34.52
18485	INTERMEDIATE BALUSTER SUPPORT - STAIR		34.52
18488	INTERMEDIATE BALUSTER MOUNT - LEVEL		3.19
18489	INTERMEDIATE BALUSTER MOUNT - STAIR		3.56
ITEM #	CABLE TOOLS		
18650		STAINLESS STEEL CABLE CUTTER	131.60
18653		CABLE GRIPPING PLIERS 93.10	
18655	CABLE TENSION GAUGE		274.11
18651	CABLE RELEASE TOOL (N/C WITH TOOL PURCHASE)		8.45
18659	CABLE INSTALLATION KIT (N/C WITH CABLE RAIL PURCHASE)		4.26















OUTLOOK SERIES

Sleek and Stylish

The affordable Outlook Series has an elegant style that will enhance any deck or porch. Performance, style, and safety exist together in this budget friendly railing option. Available in 10 on-trend colors.

PROFILE





COLORS



See page 15 for available options.

Pictured:

- a. Textured Bronze Square Baluster Railing
- b. Textured Bronze Square Baluster Railing
- c. Textured Black Square Baluster Railing









AMERICAN SQUARE SERIES

Smooth and Transitional

The American Series with ¾" square balusters and transitional style flat top rail is perfect for both contemporary and traditional homes. Optional deck-board brackets are also available for mounting deck boards on top of the rail and over the posts. With three standard colors and eleven special order colors available, you can design a distinctive rail that suits your style.

PROFILE





COLORS







See page 15 for available options.

Pictured to the left:

- a. Textured Bronze with Square Balusters
- b. Textured Black with Square Balusters
- c. Textured Black with Square Balusters









AMERICAN CABLE SERIES

State-of-the-Art Style and Convenience

The fresh, modern style of Key-Link American cable rail makes this a popular choice with homeowners while the horizontal pre-drilled posts and pre-installed cable fittings make it popular with installers. Even the horizontal cable corner posts come with unique curved fittings pre-installed so that only one post in each corner is needed — no double corner posts! The vertical cable railing also comes with all cable pre-installed to speed installation. All cable is made of high-quality 316 grade stainless steel for years of trouble-free performance.

PROFILE





COLORS



TEXTURED BRONZE TEXTURED WHITE

GLOSS WHITE

SILVER

See page 15 for available options.

Pictured to the left:

- a. Textured Black with Horizontal Cable
- b. Textured Black with Vertical Cable
- c. Horizontal Cable installed with optional deck board top







STANDARD COLORS*

Powder-coated die-cast aluminum



SPECIAL ORDER COLOR OPTIONS*



POST & ACCENT LIGHTS

Sizes available for 21/2", 31/4" and 4" Posts*

POST CAP LIGHTS

3000k LED

POST CAP DOWNLIGHTS

3000k LED

POST & STAIR ACCENT LIGHT

3000k LED







LIGHTING ACCESSORIES

LIGHTING CONTROL HUB & POWER SUPPLY



- Timer lets you choose 1-9 hours of light, or dusk-to-dawn
- Dimmer mode with 9 brightness levels
- Adjustable photocell sensor to control for ambient light
- Walk Away feature for safe exiting before lights go out
- · Aluminum housing in black and white
- Power Supply available in 12w or 60w

POST LIGHT WIRE KIT

KIT INCLUDES:

- Staples
 - 2-way splitter
 - 5' and 9' wire extensions

WIRE EXTENSIONS, WIRE SPLITTERS

WIRE EXTENSIONS:

• 2', 5', 9' Lengths Available


WIRE SPLITTER KITS:

- 2-Way Kit: Includes (1) 8" input cable to (2) 8" output cables
- 3-Way Kit: Includes (1) 8" input cable to (3) 10" output cables

*See customcraftdist.com for availability and options.

ADA ALUMINUM HANDRAIL

ADA Aluminum Handrail adds safety and security without compromising on looks! This handrail is designed to coordinate perfectly with Key-Link's existing railing for a beautiful, functional, and safe railing system.




Not all parts listed are shown in diagram

B END CAP






AMERICAN SERIES



- 1¾" W x 1½" H Flat Top Rail
- Railing Height Options: 36" · 42" · 48"(Pool)
- Railing Length Options: 6' · 8'
- Available in ¾" Square Baluster and Horizontal & Vertical Cable




OUTLOOK SERIES



- 1½" Flat Top Rail
- Railing Height Options: 36" · 42"
- Railing Length Options: 5' · 6' · 8'
- All Aluminum Balusters 5/8"

COLOR OPTIONS



*Special order colors = additional lead times and charges apply.

**See customcraftdist.com for available options.







Relax... You've come home to Custom Craft.

From railings to pergolas, from arbors to fencing, Custom Craft Distribution offers a wide variety of low-maintenance products and accessories to create the outdoor living spaces you want.

To learn more about Custom Craft and find complete information on our wide variety of outdoor living products, please visit us online at www.customcraftdist.com

DISTRIBUTED BY:



121 Countryside Dr. | Belleville, WI 53508 (608) 424-9080 | **customcraftdist.com**



Available Through:



Regal ideas	INDEX	
ALUMINUM RAILING SYSTEM	PAGE	42" Railing
TOP & BOTTOM RAILS	1	.42
ALUMINUM PICKETS / DECORATIVE PICKETS	2	D D
TEMPERED GLASS PANELS	3	Tempered
LED LIGHTING	4-5	Ten
ALUMINUM POSTS - 2 1/4" x 42" HIGH	6	ing
ALUMINUM POSTS - 4" x 42" HIGH	7	_ight
36" HIGH RAILING	8-9	LED Lighting
60" HIGH WIND WALL/ POOL RAILING	10-11	
		36" Railing
FASTENERS & ASSEMBLY PARTS		36" F
ASSEMBLY PARTS	12-13	
FASTENERS	14	Railin
TASTENERS	17	60" Railing
CRYSTAL RAIL		>
CRYSTAL RAIL	15-20	Assembly
		Asse
ADA COMPLIANT HAND/STAIR RAIL		2
ADA COMPLIANT HAND/STAIR RAIL	21-22	Fasteners
		Fas
WOOD RAILING SYSTEM		Rail
WOOD RAILING SYSTEM - ROUND BALUSTERS	23	stal Rail
WOOD RAILING SYSTEM - USING 3/4" SQUARE REGAL PICKETS	24	Crys
WOOD RAILING SYSTEM - COMPONENTS	25	ind
WOOD RAILING SYSTEM - USING TEMPERED GLASS	26	ADA Hand Stair Rail
		AD #3
QUICKSTEP STAIR SYSTEM		- F
STRINGERS	27	Wood
STAIR TREADS, RISERS, CONNECTOR	28	- in
MERCHANDISING		tep
	26	QuickStep
DISPLAYS	29	
MERCHANDISERS	30	Merchandising
		rchan
		Me

Regal ideas

- Regal Aluminum Railing top and bottom rail for use with square pickets, wide pickets, decorative pickets and glass panels.
 For use with 36", 42" & 60" (wind wall/pool railing) Regal Aluminum Railing systems.
- Patented lock-in picket system allows pickets to be quickly installed without the use of fasteners and bottom rail support.
- Constructed of high strength aluminum alloys to meet or exceed national building codes.
- Premium UV powder coated finish provides maximum durability and low maintenance.
- · Twenty year limited warranty on components and ten years on finish.

	Top & Bottom Rails			
	Item #	Description	Qty	Price
LED Lighting	17003	6' o/c Top & Bottom Rails - TBR-6 • Actual length: 69"	1 set	
36" Railing	17005	8' o/c Top & Bottom Rails - TBR-8 • Actual length: 93"	1 set	
Railing 3	17007	 10' o/c Top & Bottom Rails - TBR10 Actual length: 117" Subject to Oversize Shipping Charges 	1 set	
.09	17009	 12' o/c Top & Bottom Rails - TBR12 Actual length: 141" Subject to Oversize Shipping Charges 	1 set	Patented Locking Railing
Assembly Parts				System
		d Rails - For use where building code spec		
ner	Item #	Description	Qty	Price
Crystal Rail Fasteners	17021	8' o/c Stair Top & Bottom Rails STBR-8 • Use with UAB and/or in-line post	1 set	
ADA Hand Stair Rail	17030	Continuous Stair Top Rail Connecting Splice - STBR-CS	1 unit	
Wood System		 Connecting splice to join 2 stair top rails for stair runs that exceed 12 ft Fasteners sold separately For use with in-line stair post (ILSP) 		
Merchandising QuickStep	17571	End Cap for Stair Top Rail - SHRC Used to cap the ends of Regal Aluminum stair top rail (STBR stair handrail) Fasteners sold separately	1 unit	
Merc	Available Colors: (GWH) Gloss White, (GBL) Gloss Black, (TTP) Textured Taupe, (TBZ) Textured Bronze, (TB") Textured Black			

LED Lighting

Railing

36"

Railing

Assembly Parts

Fasteners

Rail

Crystal I

Regal ideas


ALUMINUM PICKETS

Features:

- · Pickets for 42" High Regal Aluminum Railing system.
- · Patented lock-in picket system allows pickets to be quickly installed in railing without the use of fasteners and bottom rail support.
- · Constructed of high strength aluminum alloys to meet or exceed national building codes.
- Premium UV powder coated finish provides maximum durability and low maintenance.
- · Twenty year limited warranty on components and ten years on finish.


Pickets - for 42"	High Regal Alu	minum Railing
-------------------	----------------	---------------

Item #	Description	Qty	Price
17133	Straight Pickets for 6' o/c - SP-6 • 3/4" pickets, Includes 30 aluminum 4" spacers	14/pkg	
17135	Straight Pickets for 8' o/c - SP-8 • 3/4" pickets, Includes 40 aluminum 4" spacers	19/pkg	
17137	Straight Pickets for 10' o/c - SP-10 • 3/4" pickets, Includes 50 aluminum 4" spacers •	24/pkg	
17160	Wide Pickets (covers 3ft with spacers) - WP-3 • 1 %6" pickets, Includes 14 aluminum 4" spacers	6/pkg	



Stair Pickets (Residential)

17153	Stair Straight Pickets for 6' o/c - SPS-6 3/4" pickets, Includes 26 aluminum 5" spacers	12/pkg	
17180	Stair Wide Pickets (covers 3ft with spacers) WPS-3 • 1 % pickets, Includes 14 aluminum 5" spacers	6/pkg	



Stair Pickets (Commercial & Multi-Family) - for use when a 42" stair railing height is required in Commercial and Multifamily applications.

¾" pickets, Includes 50 aluminum 5" spacers	17159	Stair Pickets for 12ft of 42"H Stair Railing SPS42-12	24/pkg	
		• ¾" pickets, Includes 50 aluminum 5" spacers		

Decorative Inserts & Pickets

Item #	Description	Qty	Price		ADA -
17205	Decorative Circle - DC Ornamental option that fits in place of top spacer Can be used with 42", 36" and 60" high railing with pickets	1 unit			Wood
47000	Decorative Pickets Ornamental option that fits in place of regular picket For straight horizontal applications, not available for stairs. Compatible with 42" High Railing System only			38	Ouickotten
17200	Narrow Round Decorative Picket - DP-NR	1 unit			

Features:

- Regal Ideas tempered glass thickness is 1/4" to conform to code specifications in U.S. and Canada.
- Provides railing with an unobstructed view.
 Tempered Glass Warranty: One year limited
 Compliment your glass panels by incorporati
- Compliment your glass panels by incorporating Regal Ideas LED lighting system.



75-	Tompore	ed Glass Panels for 42"H Railing 35 7		1/," T /6	mm)
Tempered Glass				•	······ <i>)</i>
emp Gla	Item #	Description	Qty	Price	
	47000	Clear Glass Panel Sizes (Width):	4		(CTG) CLEAR GLASS PANELS
ting	17306	6" Tempered Glass Panel - CTG6	1 panel		
Lighting	17309	9" Tempered Glass Panel - CGT9	1 panel		
LED L	17312	12"Tempered Glass Panel - CTG12	1 panel		
	17315	15" Tempered Glass Panel - CTG15	1 panel		
Railing	17318	18" Tempered Glass Panel - CTG18	1 panel		
Rail	17321	21" Tempered Glass Panel - CTG21	1 panel		Glass parnel
36"	17324	24" Tempered Glass Panel - CTG24	1 panel		GRB10: Insert blocks 35 7/8"
	17327	27" Tempered Glass Panel - CTG27	1 panel		1" in from edge of glass panel.
Railing	17330	30" Tempered Glass Panel - CTG30	1 panel		Insert rubber blocks (2 per panel) in
, R	17333	33" Tempered Glass Panel - CTG33	1 panel		bottom insert only.
.09	17336	36" Tempered Glass Panel - CTG36	1 panel		(CDG6) HORIZONTAL 7 1/4" GLASS PANELS
<u>></u>	17339	39" Tempered Glass Panel - CTG39	1 panel		
mb	17342	42" Tempered Glass Panel - CTG42	1 panel		
Assembly Parts	17345	45" Tempered Glass Panel - CTG45	1 panel		
	17340	48" Tempered Glass Panel - CTG48	1 panel		
iers	17351	51" Tempered Glass Panel - CTG51	1 panel		
Fasteners	17354	54" Tempered Glass Panel - CTG54	1 panel		
Fa	17357	57" Tempered Glass Panel - CTG57	1 panel		
ail	17360	60" Tempered Glass Panel - CTG60	1 panel		(CAG6) STAIR ANGLED 6"GLASS PANELS
Crystal Rail	17363	63" Tempered Glass Panel - CTG63	1 panel		Comes with spacers
rysta	17366	66" Tempered Glass Panel - CTG66	1 panel		and inserts.
	**Glass fo	r 36"H System see page 9			
ADA Hand Stair Rail	17390	Horizontal 7 1/4" Glass Panels - CDG-6 • For 6' railing section	6/pkg		
		c/w spacers and glass gaskets that are LED compatible			SRSL must be used
Wood	17395	Stair Angled 6" Glass Panels - CAG-6 For 6' stair section - c/w 7 sets of spacer inserts and glass gaskets that are LED compatible Designed for 35 degree stairs (+/- 2 degrees)	6/pkg		when installing CAG-6 and CDG-6
QuickStep	Glass Pai	nel Components (Required for glass installatio	n)		
l dick	Code	Description	Qty	Price	
	17301	Vinyl Insert for Tempered Glass - GVIL	1 set		
ising		For 6' o/c sections (actual length: 69")			GVIL
Merchandising	17300	Rubber Blocks - GRB-10 • 2 blocks required per glass panel • Insert blocks 1" in from edge of glass panel	10/pkg		GRB-10

LED LIGHTING SYSTEM

Features:

- Exterior moisture resistant, low voltage remote controlled LED lighting system for use in Regal Aluminum Railing system.
- LED lighting is UL/CSA certified.
- For use with 36", 42" and 60" picket and tempered glass systems.
- Remote control unit provides 3 color and 3 brightness settings (White, Gold, Blue).
- Each power adapter can run up to 60ft (10 strips) of LED lighting strips.
- One year warranty.



Item #	Description	Qty	Price		Tempere Glass
17910	LED Lighting Control Pack - LED-C	1 kit] ^p
	Compact size low voltage LED control unit for easy placement inside Regal Aluminum Railing posts Compact RF remote control unit Includes 20ft power cord Remote control unit provides 3 color and 3 brightness settings				LED Lighting
	Includes heat shrink tube to protect connection to LED-L Note: One Power Supply will run a maximum of 10 LED				"Railing
47000	strips (approx 60ft.)	4 1.54			36"
17909	WIFI LED Lighting Control Pack - LED-AC	1 kit		≰ Apple ⋠android WiFi	ng
	 Use your iPhone or Android to control your LED lights Program your lights to come on and off at predefined times. Built in photocell for automatic dusk to dawn operation Package includes: Compact low voltage control unit, remote control, heat shrink tube, RF unit and photocell. 		Not Currently Available		ly 60" Railing
	Note: One Power Supply will run a maximum of 10 LED strips (approx 60ft.)				Assembly
17900	LED Lighting Strips - 78" (2m) - LED-L	1 unit		Heat Shrink	ğ
	78" encapsulated LED strips for 6' railing sections (pickets and/or glass) 120 LED lights per section Includes heat shrink tube to protect connections			Tube Locking Clips	Fasteners
17581	LED Clear Spacers - LED-P	15/pkg			-
	15 clear spacers for lighting 6' picket railing section				Crystal Rail
17586	LED Clear Stair Spacers - LED-SP	13/pkg			Cry
	13 clear spacers for lighting 6' picket stair railing section				ADA Hand Stair Rail
17302	LED Glass Gasket - 6' o/c - LED-G	1 set			DAH
	-For Glass Panel System			Тор	Αο
	6'o/c glass gasket for lighting 6' glass railing section (actual length: 69")			Bottom	Wood
17912	LED Splitter Cord - LED-T	1 unit			> ś
	Used to run LED lighting in 2 directions using the same power supply Includes heat shrink tube to protect connection to LED-L			Locking Clips Clips	QuickStep
17911	LED Patch Cord - LED-PC	1 unit		11	
	13ft Patch Cord used to connect LED strips when railing is not continuous. (eg. for stairway opening) Includes heat shrink tube to protect connection to LED-L			Locking Clips	Merchandising

LED-SL

LED-SL

Regal ideas

LED ACCENT LIGHTING

LED-SLE

Price

Qty

42

Tempered Glass

Railing LED Lighting

36"


Railing .09

Item #

Description

LED Accent Lighting for use in stair risers, deck fascia and deck surfaces. Works with Regal ideas and Crystal Rail power controlers.

For use with Regail ideas lighting system as seen below:



For use with Crystal Rail lighting system as seen below: LED-SL LED-SLE

CRLC / CRLA	CRDT

		•	•		
ers Assembly Parts	17901	LED Accent Lighting - White - LED-SL(0W) Connects to Regal ideas and Crystal Rail LED lighting system Light Color: White	1 unit	Not Currently Available	
Crystal Rail Fasteners	17901	LED Accent Lighting - Blue - LED-SL(BE) Connects to Regal ideas and Crystal Rail LED lighting system Light Color: Blue	1 unit	Not Currently Available	
d ADA Hand m Stair Rail	17901	LED Accent Lighting - Gold - LED-SL(GD) Connects to Regal ideas and Crystal Rail LED lighting system Light Color: Gold	1 unit	Not Currently Available	
QuickStep Wood System	17913	Accent Light Adapter - LED-SLA To be used when connecting Accent Light (LED-SL) to Regal ideas LED Control Pack (LED-C/LED-AC)	1 unit		
Merchandising Q	17914	Accent Light Extension Wire - LED-SLE 6ft extension cable to connect LED-SL to each other Connect several LED-SLE to span a distance greater then 6ft	1 unit		######################################

Features:

- Posts for 42" High Regal Aluminum Railing.
- Posts are 2 1/4" square complete with post cap, welded rail sleeves and attached 4" square aluminum base plate that is ACQ corrosion-resistant.
- Constructed of high strength aluminum alloys to meet or exceed national building codes.
- Premium UV powder coated finish provides maximum durability and low maintenance.

Item # Description 2 1/4" Post Base Plate Cover - BC	Posts - 42" High				
Welded brackets at 90° to connect rails to posts End Post - REP (2 ½" x 2 ½" x 42"H) Welded brackets to connect rails to posts Line Post - RLP (2 ½" x 2 ½" x 42"H) Welded brackets to connect rails to posts Line Post - RLP (2 ½" x 2 ½" x 42"H) Welded brackets to connect rails to posts 17424 Stair Post - RSP (2 ½" x 2 ½" x 42"H) For use with angle bracket or post bracket in stair, angle or custom applications Stair Post - RESP48 (2 ½" x 2 ½" x 48"H) For use when a 42" stair railing height is required in Commercial and Multifamily applications. Use with SPS42 stair pickets. Note: Fasteners sold separately 17425 In-Line Stair Post - ILSP (2 ½" x 2 ½" x 42"H) Undermount post to attach top rail between top and bottom of stairs Includes bottom UAB bracket Note: Fasteners sold separately Base Plate Cover - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17500 2 ½" Post Base Plate Cover - BC Two piece cast aluminum base plate cover Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B Pyramid Post Cap - DPC-B Pyramid Post Cap - DPC-P Tower Post Cap - DPC-T	Description	Qty	Price		
17420 End Post - REP (2 ½" x 2 ½" x 42"H) • Welded brackets to connect rails to posts 17422 Line Post - RLP (2 ½" x 2 ½" x 42"H) • Welded brackets to connect rails to posts 17424 Stair Post - RSP (2 ½" x 2 ½" x 42"H) • For use with angle bracket or post bracket in stair, angle or custom applications 17426 Stair Post - RESP48 (2 ½" x 2 ½" x 48"H) • For use when a 42" stair railing helpit is required in Commercial and Multifamily applications. Use with SP342 stair pickets. Note: Fasteners sold separately 17423 45° Angle Post - RP45 (2 ½" x 2 ½" x 42"H) • Welded brackets connect rails to posts at 45° angle 17425 In-Line Stair Post - ILSP (2 ½" x 2 ½" x 36"H) • Undermount post to attach by rail between top and bottom of stairs • Includes bottom UAB bracket • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B Pyramid Post Cap - DPC-B Pyramid Post Cap - DPC-CT 1 unit	Corner Post - RCP (2 1/4" x 2 1/4" x 42"H)!	1 unit			H.
Welded brackets to connect rails to posts Line Post - RLP (2 ½" × 2 ½" × 42"H) Welded brackets to connect rails to posts 17424 Stair Post - RSP (2 ½" × 2 ½" × 42"H) For use with angle bracket or post bracket in stair, angle or custom applications 17426 Stair Post - RESP48 (2 ½" × 2 ½" × 48"H) For use when a 42" stair railing height is required in commercial and Multifamily applications. Use with SPS42 stair pickets. Note: Fasteners sold separately 17423 45° Angle Post - RP45 (2 ½" × 2 ½" × 42"H) Welded brackets connect rails to posts at 45" angle In-Line Stair Post - ILSP (2 ½" × 2 ½" × 36"H) Undermount post to attach bop rail between top and bottom of stairs Includes bottom UAB bracket Note: Fasteners sold separately Base Plate Cover - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17500 2 ½" Post Base Plate Cover - BC Two piece cast aluminum base plate cover Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B Tower Post Cap - DPC-C Tower Post Cap - DPC-C Tower Post Cap - DPC-C 10 unit 11 unit 1 un	Welded brackets at 90° to connect rails to posts				
17422 Line Post - RLP (2 ½" x 2 ½" x 42"H) • Welded brackets to connect rails to posts Stair Post - RSP (2 ½" x 2 ½" x 42"H) • For use with angle bracket or post bracket in stair, angle or custom applications 17426 Stair Post - RESP48 (2 ½" x 2 ½" x 48"H) • For use when a 42" stair railing height is required in Commercial and Multifamily applications. Use with SPS42 stair pickets. Note: Fasteners sold separately 17423 45° Angle Post - RP45 (2 ½" x 2 ½" x 42"H) • Welded brackets connect rails to posts at 45° angle 17425 In-Line Stair Post - ILSP (2 ½" x 2 ½" x 36"H) • Undermount post to attach top rail between top and bottom of stairs • Includes bottom UAB bracket Note: Fasteners sold separately Base Plate Cover - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17500 2 ½" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B Pyramid Post Cap - DPC-C Tower Post Cap - DPC-C Tower Post Cap - DPC-C 1 unit 1 unit 1 unit 1 unit	End Post - REP (2 1/4" x 2 1/4" x 42"H)	1 unit			
Welded brackets to connect rails to posts Stair Post - RSP (2 ½" x 2 ½" x 42"H) - For use with angle bracket or post bracket in stair, angle or custom applications	Welded brackets to connect rails to posts				
17424 Stair Post - RSP (2 ½" x 2 ½" x 42"H) • For use with angle bracket or post bracket in stair, angle or custom applications 17426 Stair Post - RESP48 (2 ½" x 2 ½" x 48"H) • For use when a 42" stair railing height is required in Commercial and Multifamily applications. Use with SPS42 stair pickets. Note: Fasteners sold separately 17423 45° Angle Post - RP45 (2 ½" x 2 ½" x 42"H) • Welded brackets connect rails to posts at 45° angle 17425 In-Line Stair Post - ILSP (2 ½" x 2 ½" x 36"H) • Undermount post to attach top rail between top and bottom of stairs • Includes bottom UAB bracket Note: Fasteners sold separately Base Plate Cover - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17500 2 ½" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B Pyramid Post Cap - DPC-P 17513 Tower Post Cap - DPC-P 17514 Tower Post Cap - DPC-P 17516 Tower Post Cap - DPC-P	Line Post - RLP (2 1/4" x 2 1/4" x 42"H)	1 unit			
Por use with angle bracket or post bracket in stair, angle or custom applications Stair Post - RESP48 (2 ½" x 2 ½" x 48"H) For use when a 42" stair railing height is required in Commercial and Multifamily applications. Use with SPS42 stair pickets. Note: Fasteners sold separately 17423 45° Angle Post - RP45 (2 ½" x 2 ½" x 42"H) Welded brackets connect rails to posts at 45° angle 17425 In-Line Stair Post - ILSP (2 ½" x 2 ½" x 36"H) Undermount post to attach top rail between top and bottom of stairs Includes bottom UAB bracket Note: Fasteners sold separately Base Plate Cover - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17500 2 ½" Post Base Plate Cover - BC Two piece cast aluminum base plate cover Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B Pyramid Post Cap - DPC-P Tower Post Cap - DPC-P	Welded brackets to connect rails to posts				
angle or custom applications Stair Post - RESP48 (2 ½" x 2 ½" x 48"H) • For use when a 42" stair railing height is required in Commercial and Multifamily applications. Use with SPS42 stair pickets. Note: Fasteners sold separately 17423 45° Angle Post - RP45 (2 ½" x 2 ½" x 42"H) • Welded brackets connect rails to posts at 45° angle In-Line Stair Post - ILSP (2 ½" x 2 ½" x 36"H) • Undermount post to attach top rail between top and bottom of stairs • Includes bottom UAB bracket Note: Fasteners sold separately Base Plate Cover - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17500 2 ½" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 17514 Tower Post Cap - DPC-P	Stair Post - RSP (2 1/4" x 2 1/4" x 42"H)	1 unit			
Price For use when a 42" stair railing height is required in Commercial and Multifamily applications. Use with SPS42 stair pickets. Note: Fasteners sold separately 17423 45° Angle Post - RP45 (2 ½" x 2 ½" x 42"H) Welded brackets connect rails to posts at 45° angle 17425 In-Line Stair Post - ILSP (2 ½" x 2 ½" x 36"H) Undermount post to attach top rail between top and bottom of stairs Includes bottom UAB bracket Note: Fasteners sold separately Base Plate Cover - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17500 2 ½" Post Base Plate Cover - BC Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 1 unit					
in Commercial and Multifamily applications. Use with SPS42 stair pickets. Note: Fasteners sold separately 17423 45° Angle Post - RP45 (2 ½" x 2 ½" x 42"H) • Welded brackets connect rails to posts at 45° angle 17425 In-Line Stair Post - ILSP (2 ½" x 2 ½" x 36"H) • Undermount post to attach top rail between top and bottom of stairs • Includes bottom UAB bracket Note: Fasteners sold separately Base Plate Cover - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17500 2 ½" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 1 unit	Stair Post - RESP48 (2 1/4" x 2 1/4" x 48"H)	1 unit			
Note: Fasteners sold separately 17423 45° Angle Post - RP45 (2 1/4" x 2 1/4" x 42"H) • Welded brackets connect rails to posts at 45° angle 17425 In-Line Stair Post - ILSP (2 1/4" x 2 1/4" x 36"H) • Undermount post to attach bp rail between top and bottom of stairs • Includes bottom UAB bracket Note: Fasteners sold separately Base Plate Cover - for 2 1/4" Regal Aluminum Posts Item # Description Qty Price 17500 2 1/4" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 1/4" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 1 unit 17514 Tower Post Cap - DPC-T	in Commercial and Multifamily applications. Use				L
17423 45° Angle Post - RP45 (2 ½" x 2 ½" x 42"H) • Welded brackets connect rails to posts at 45° angle 17425 In-Line Stair Post - ILSP (2 ½" x 2 ½" x 36"H) • Undermount post to attach top rail between top and bottom of stairs • Includes bottom UAB bracket Note: Fasteners sold separately Base Plate Cover - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17500 2 ½" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 17514 Tower Post Cap - DPC-T	·			RCP REP RLP RSP RSP48	Accon
17423 45° Angle Post - RP45 (2 ½" x 2 ½" x 42"H) • Welded brackets connect rails to posts at 45° angle 17425 In-Line Stair Post - ILSP (2 ½" x 2 ½" x 36"H) • Undermount post to attach top rail between top and bottom of stairs • Includes bottom UAB bracket Note: Fasteners sold separately Base Plate Cover - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17500 2 ½" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 1 unit					_ {
In-Line Stair Post - ILSP (2 ½" x 2 ½" x 36"H) Undermount post to attach top rail between top and bottom of stairs Includes bottom UAB bracket Note: Fasteners sold separately Base Plate Cover - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17500 2 ¼" Post Base Plate Cover - BC Two piece cast aluminum base plate cover Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 ½" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 1 unit	45° Angle Post - RP45 (2 1/4" x 2 1/4" x 42"H)	1 unit		, and a	
• Undermount post to attach top rail between top and bottom of stairs • Includes bottom UAB bracket **Note: Fasteners sold separately** **Base Plate Cover - for 2 ¼" Regal Aluminum Posts Item # Description **Qty Price** 17500 2 ¼" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance **Decorative Post Caps - for 2 ¼" Regal Aluminum Posts Item # Description **Qty Price** **Description Qty Price** 1 unit Description Qty Price** Qty Price** Qty Price** Qty Price** Qty Price** Qty Price** Qty Price**	Welded brackets connect rails to posts at 45° angle				
bottom of stairs Includes bottom UAB bracket Note: Fasteners sold separately Base Plate Cover - for 2 ¼" Regal Aluminum Posts Item # Description Qty Price 17500 2 ¼" Post Base Plate Cover - BC Two piece cast aluminum base plate cover Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 ¼" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 17514 Tower Post Cap - DPC-T	In-Line Stair Post - ILSP (2 1/4" x 2 1/4" x 36"H)	1 unit			
Note: Fasteners sold separately Base Plate Cover - for 2 1/4" Regal Aluminum Posts Item # Description Qty Price 17500 2 1/4" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 1/4" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 17514 Tower Post Cap - DPC-T	bottom of stairs				
Base Plate Cover - for 2 1/4" Regal Aluminum Posts Item # Description	Mater Francisco california del consultato				
Item # Description Qty Price 17500 2 1/4" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 1/4" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 17514 Tower Post Cap - DPC-T				IXI 43	
17500 2 1/4" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance Decorative Post Caps - for 2 1/4" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 17514 Tower Post Cap - DPC-T 1 unit 1 unit	-	Otv	Drice		
Two piece cast aluminum base plate cover Wraps post base to hide fasteners and provide a finished appearance Pecorative Post Caps - for 2 1/4" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 17514 Tower Post Cap - DPC-T 1 unit 1 unit 1 unit	Безоприон	Turk	11100		
Wraps post base to hide fasteners and provide a finished appearance Pecorative Post Caps - for 2 1/4" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 17514 Tower Post Cap - DPC-T 1 unit 1 unit 1 unit	2 1/4" Post Base Plate Cover - BC	1 unit			F
Decorative Post Caps - for 2 1/4" Regal Aluminum Posts Item # Description Qty Price 17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 17514 Tower Post Cap - DPC-T 1 unit 1 unit	Wraps post base to hide fasteners and provide a				700/1
Item #DescriptionQtyPrice17512Ball Post Cap - DPC-B1 unit17513Pyramid Post Cap - DPC-P1 unit17514Tower Post Cap - DPC-T1 unit		-t-c			- -
17512 Ball Post Cap - DPC-B 17513 Pyramid Post Cap - DPC-P 17514 Tower Post Cap - DPC-T 1 unit 1 unit 1 unit	•		Price		
17513 Pyramid Post Cap - DPC-P 17514 Tower Post Cap - DPC-T 1 unit 1 unit			1 1106	\sim	
17514 Tower Post Cap - DPC-T 1 unit	<u>-</u>				
• Shap on aluminum cap to replace standard cap DPC-B DPC-P DPC-P	•	Gill		DDC D DDC C DDC T	
		Corner Post - RCP (2 ½" x 2 ½" x 42"H)! • Welded brackets at 90° to connect rails to posts End Post - REP (2 ½" x 2 ½" x 42"H) • Welded brackets to connect rails to posts Line Post - RLP (2 ½" x 2 ½" x 42"H) • Welded brackets to connect rails to posts Line Post - RSP (2 ½" x 2 ½" x 42"H) • Welded brackets to connect rails to posts Stair Post - RSP (2 ½" x 2 ½" x 42"H) • For use with angle bracket or post bracket in stair, angle or custom applications Stair Post - RESP48 (2 ½" x 2 ½" x 48"H) • For use when a 42" stair railing height is required in Commercial and Multifamily applications. Use with SPS42 stair pickets. Note: Fasteners sold separately 45° Angle Post - RP45 (2 ½" x 2 ½" x 42"H) • Welded brackets connect rails to posts at 45° angle In-Line Stair Post - ILSP (2 ½" x 2 ½" x 36"H) • Undermount post to attach top rail between top and bottom of stairs • Includes bottom UAB bracket Note: Fasteners sold separately Iate Cover - for 2 ¼" Regal Aluminum Posts Description 2 ¼" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance ative Post Caps - for 2 ¼" Regal Aluminum Post Description Ball Post Cap - DPC-B Pyramid Post Cap - DPC-P Tower Post Cap - DPC-P Tower Post Cap - DPC-T • Snap on aluminum cap to replace standard cap	Corner Post - RCP (2 ¼" x 2 ½" x 42"H)! • Welded brackets at 90° to connect rails to posts End Post - REP (2 ½" x 2 ½" x 42"H) • Welded brackets to connect rails to posts Line Post - RLP (2 ½" x 2 ½" x 42"H) • Welded brackets to connect rails to posts Line Post - RLP (2 ½" x 2 ½" x 42"H) • Welded brackets to connect rails to posts Stair Post - RSP (2 ½" x 2 ½" x 42"H) • For use with angle bracket or post bracket in stair, angle or custom applications Stair Post - RESP48 (2 ½" x 2 ½" x 48"H) • For use when a 42" stair railing height is required in Commercial and Multifamily applications. Use with SPS42 stair pickets. Note: Fasteners sold separately 45° Angle Post - RP45 (2 ½" x 2 ½" x 42"H) • Welded brackets connect rails to posts at 45° angle In-Line Stair Post - ILSP (2 ½" x 2 ½" x 36"H) • Undermount post to attach top rail between top and bottom of stairs • Includes bottom UAB bracket Note: Fasteners sold separately late Cover - for 2 ½" Regal Aluminum Posts Description Qty 2 ¼" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance ative Post Caps - for 2 ¼" Regal Aluminum Posts Description Qty Ball Post Cap - DPC-B Pyramid Post Cap - DPC-B Pyramid Post Cap - DPC-P Tower Post Cap - DPC-T • Snap on aluminum cap to replace standard cap	Corner Post - RCP (2 ½" x 2 ½" x 42"H)! • Welded brackets at 90° to connect rails to posts End Post - REP (2 ½" x 2 ½" x 42"H) • Welded brackets to connect rails to posts Line Post - RLP (2 ½" x 2 ½" x 42"H) • Welded brackets to connect rails to posts Line Post - RLP (2 ½" x 2 ½" x 42"H) • Welded brackets to connect rails to posts Stair Post - RSP (2 ½" x 2 ½" x 42"H) • For use with angle bracket or post bracket in stair, angle or custom applications Stair Post - RESP48 (2 ½" x 2 ½" x 48"H) • For use when a 42" stair railing height is required in Commercial and Multifamily applications. Use with SPS42 stair pickets. Note: Fasteners sold separately 45° Angle Post - RP45 (2 ½" x 2 ½" x 42"H) • Welded brackets connect rails to posts at 45° angle In-Line Stair Post - ILSP (2 ½" x 2 ½" x 36"H) • Undermount post to attach top rail between top and bottom of stairs • Includes bottom UAB bracket Note: Fasteners sold separately late Cover - for 2 ½" Regal Aluminum Posts Description Qty Price 2 ½" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover • Wraps post base to hide fasteners and provide a finished appearance ative Post Caps - for 2 ¼" Regal Aluminum Posts Description Qty Price Ball Post Cap - DPC-B Pyramid Post Cap - DPC-P Tower Post Cap - DPC-T • Snap on aluminum cap to replace standard cap	Description Qty Price Corner Post - RCP (2 ½ × 2 ½ × 42′H)! • Welded brackets at 90° to connect rails to posts End Post - REP (2 ½ * × 2 ½ × 42′H) • Welded brackets to connect rails to posts Line Post - RLP (2 ½ * × 2 ½ * × 42′H) • Welded brackets to connect rails to posts Stair Post - RSP (2 ½ * × 2 ½ * × 42′H) • For use with angle bracket or post bracket in stair, angle or custom applications Stair Post - RESP48 (2 ½ * × 2 ½ * × 48′H) • For use when a 42° stair railing height is required in Commercial and Multifamily applications. Use with SPS42 stair pickets. Note: Fasteners sold separately 45° Angle Post - RP45 (2 ½ * × 2 ½ * × 42″H) • Welded brackets connect rails to posts at 45° angle In-Line Stair Post - ILSP (2 ½ * × 2 ½ * × 42″H) • Undermount post to attach by rail between top and bottom of stairs • Includes bottom UAB bracket Note: Fasteners sold separately late Cover - for 2 ¼ * Regal Aluminum Posts Description Qty Price 1 unit Wripe Post Caps - for 2 ½ * Regal Aluminum Posts Description Qty Price Ball Post Cap - DPC-B Pyramid Post Cap - DPC-B Tower Post Cap - DPC-T

4" ALUMINUM POSTS

- Posts for 42" High Regal Aluminum Railing.
- Complete with post cap, welded rail sleeves and attached 6" square aluminum base plate that is ACQ corrosion-resistant.
 Constructed of high strength aluminum alloys to meet or exceed national building codes.
 Premium UV powder coated finish provides maximum durability and low maintenance.
 Twenty year limited warranty on components and ten years on finish.

g g		year minea warranty on componente and terr years on mile.		
Tempered Glass	4" Pos	ts - 42″ High		
Tel (Item #	Description	Qty	Price
LED Lighting	17441	4" Corner Post - RP4C (4" x 4" x 42" Height) • Welded brackets at 90° to connect rails to posts	1 unit	
36" Railing	17440	4" End Post - RP4E (4" x 4" x 42" Height)	1 unit	
60" Railing	17442	Welded brackets to connect rails to posts4" Line Post - RP4L	1 unit	t RP4C RP4E
Assembly Parts		(4" x 4" x 42" Height)Welded brackets to connect rails to posts		
Fasteners	17443	4" Stair Post - RP4S (4" x 4" x 42" Height) • For use with angle bracket or post bracket in stair,	1 unit	
Crystal Rail		angle or custom applications Note: Fasteners sold separately		RP4L RP4S
ınd ail				
ADA Hand Stair Rail	Base P	late Cover - for 4" Regal Aluminum Posts		
AD	Item #	Description	Qty	Price
Wood System	17502	 4" Post Base Plate Cover - BC4 Two piece cast aluminum base plate cover Wraps post base to hide fasteners and provide a more 	1 unit	
QuickStep		finished appearance		
Merchandising				
Mer		Available Colors: (GWH) Gloss White, (GBL) Gloss Black, (TTP) Te	Textured Taupe, (TBZ) Textured Bronze, (TBL) Textured Black

60" Railing

Fasteners

Crystal Rail

Regal ideas

36" HIGH RAILING

- 36" High Regal Aluminum Railing is available using standard ¾" pickets only. Tempered Glass and Decorative Pickets not available.
- Posts are 2 ¼" square complete with post cap, welded rail sleeves and attached 4" square aluminum base plate that is ACQ
- Constructed of high strength aluminum and premium UV powder coated finish provides maximum durability and low maintenance.

NOW AVAILABLE IN TEXTURED YARD BRONZE FINISH

Item #	Description	Qty	Price	
17411 17410 17412 17413	36" High Corner Post - RCP36 (2½"x2½"x36") 36" High End Post - RECP36 (2½"x2½"x36") 36" High Line Post - RLP36 (2½"x2½"x36") 36" High Stair Post - RESP36 (2½"x2½"x36") (Fasteners sold separately) Note: A 42"H post may be advisable for stairs if you don't have standard 35° angle and standard run/rise.	1 unit 1 unit 1 unit 1 unit		♦ ♦ ♦ ♦

Item #	Description	Qty	Price	
17500	2 1/4" Post Base Plate Cover - BC	1 unit		
	Two piece cast aluminum base plate cover Wraps post base to hide fasteners and provide a			
	more finished appearance			

Decorative Post Caps - for 2 1/4" Regal Aluminum Posts

Item #	Description	Qty	Price			
17512	Ball Post Cap - DPC-B	1 unit				
17513	Pyramid Post Cap - DPC-P	1 unit				
17514	Tower Post Cap - DPC-T	1 unit		DPC-B	DPC-P	DPC-T

Top & Bottom Rails (Same Top & Bottom Rails used in the 42" High Railing System)

Item #	Description	Qty	Price	
17003	6' o/c Top & Bottom Rails - TBR-6 (69")	1 set		
17005	8' o/c Top & Bottom Rails - TBR-8 (93")	1 set		
17007	10' o/c Top & Bottom Rails - TBR-10 (117")	1 set		M. M
17009	12' o/c Top & Bottom Rails - TBR-12 (141")	1 set		
	Note: Fasteners sold separately			

36" High Pickets & Gates

Item #	Description	Qty	Price		
17103	Straight Pickets for 6' section - SP36-6 • ¾" pickets, Includes 30 aluminum 4" spacers • Pickets lock into place, no screws or bolts needed	14/pkg			
17153	Stair Straight Pickets for 6' section - SPS-6 • 3/4" pickets, Includes 26 aluminum 5" spacers	12/pkg			
17700	36"H x 48"W Gate Package - ASGP36 • Straight ¾" pickets • Fits openings up to 48"	1 pkg		SP36-6	ASGP36

Available Colors: (GWH) Gloss White, (GBL) Gloss Black, (TBL) Textured Black, (TBZ) Textured Yard Bronze

Regal ideas 36" HIGH RAILING Railing 36" High Pickets Item # Description **Price** Qty 42, 17103 Straight Pickets for 6' section - SP36-6 14/pkg **Pickets** lock into • 3/4" pickets, Includes 30 aluminum 4" spacers place in seconds · Pickets lock into place, no screws or bolts needed no screws or bolts! 17153 Stair Straight Pickets for 6' section - SPS-6 3/4" LED Lighting • 3/4" pickets, Includes 26 aluminum 5" spacers Railing Tempered Glass Panels for 36"H Railing 29 1/8" H 🗴 1/4" T (6mm) Item # Description Qty **Price** 36" 24" Tempered Glass Panel - CG36-24 1 panel 17224 Railing 17230 30" Tempered Glass Panel - CG36-30 1 panel 17236 36" Tempered Glass Panel - CG36-36 1 panel .09 17242 42" Tempered Glass Panel - CG36-42 1 panel Assembly Parts 17248 48" Tempered Glass Panel - CG36-48 1 panel GRB10: Insert blocks 1" in from edge 54" Tempered Glass Panel - CG36-54 1 panel 17254 of glass panel. Insert rubber blocks 17260 60" Tempered Glass Panel - CG36-60 1 panel (2 per panel) in Fasteners bottom insert only. 17266 66" Tempered Glass Panel - CG36-66 1 panel Glass Panel Components (Required for glass installation) Crystal Rail Item # Description **Price** Qty 17301 1 set Vinyl Insert for Tempered Glass - GVIL For 6' o/c sections (actual length: 69") ADA Hand Stair Rail 17300 10/pkg **Rubber Blocks - GRB-10** · 2 blocks required per glass panel • Insert blocks 1" in from edge of glass panel 36" High Gates Item # Description **Price** Qty 17700 36"H x 48"W Gate Package - ASGP36 1 pkg Merchandising | QuickStep Straight ¾" pickets • Fits openings up to 48" c/w Rails, hinge post, latch post, 8 pickets 3/4" square with spacers, hinges and latch Available Colors: (GWH) Gloss White, (GBL) Gloss Black, (TBL) Textured Black Page 9 PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED

- · 60" High Regal Aluminum Railing, works with Regal rails, post caps, wall and universal angle brackets.
- Posts are 2 1/4" square complete with post cap, welded rail sleeves and attached 4" square aluminum base plate that is ACQ corrosion-resistant.
- Constructed of high strength aluminum alloys and premium UV powder coated finish.
- Twenty year limited warranty on components and ten years on finish.

IMPORTANT: Wind Wall/Pool Railing designed for ground level applications only.

2 1/4" Posts - 60" High

Item #	Description	Qty	Price					
17431	Wind Wall Corner Post - WRCP (2¼"x2¼"x60") • Welded brackets at 90° to connect rails to posts	1 unit		♠	*	\	-	ED Lighting
17430	Wind Wall End Post - WREP (21/4"x21/4"x60") • Welded brackets to connect rails to posts	1 unit						Railing Li
17432	Wind Wall Line Post - WRLP (21/4"x21/4"x60") • Welded brackets to connect rails to posts	1 unit						36" Ra
	Note: Fasteners sold separately			WRCP	WREP	WRLP		

Base Plate Cover - for 2 1/4" Regal Aluminum Posts

Item #	Description	Qty	Price		
17500	2 ¼" Post Base Plate Cover - BC • Two piece cast aluminum base plate cover	1 unit			
	Wraps post base to hide fasteners and provide a more finished appearance				Fasteners
Decora	tive Post Caps - for 2 1/4" Regal Aluminum Pos	ts			Rail
Item #	Description	Qty	Price		stal F
17512	Ball Post Cap - DPC-B	1 unit		\wedge	Crys
17513	Pyramid Post Cap - DPC-P	1 unit			Hand Rail
17514	Tower Post Cap - DPC-T	1 unit			ADA F Stair F
ĺ	Chan an aluminum can to raplace atandard can		1	DPC-B DPC-P DPC-T	1 ~ "

Decorative Post Caps - for 2 1/4" Regal Aluminum Posts

Item #	Description	Qty	Price				
17512	Ball Post Cap - DPC-B	1 unit			\wedge		
17513	Pyramid Post Cap - DPC-P	1 unit					
17514	Tower Post Cap - DPC-T	1 unit					
	Snap on aluminum cap to replace standard cap			DPC-B	DPC-P	DPC-T	ŀ
							l

Top & Bottom Rails (Same Top & Bottom Rails used in the 42" High Riling System)

Item #	Description	Qty	Price	
17003	6' o/c Top & Bottom Rails - TBR-6 (69")	1 set		
17005	8' o/c Top & Bottom Rails - TBR-8 (93")	1 set		
17007	10' o/c Top & Bottom Rails - TBR-10 (117")	1 set		
17009	12' o/c Top & Bottom Rails - TBR-12 (141")	1 set		
	Available Colors: (GWH) Gloss White. (GBL) Gloss Black			

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED

Regal ideas 60" HIGH WIND WALL/POOL RAILING 60" High Gates and Pickets Railing Item # Description Qty **Price 4**2 Pickets lock into 17140 60" High Straight Pickets for 6' - WSP60-6 1 pkg Tempered Glass olace in second • 3/4" pickets. Includes 30 aluminum 4" spacers or bolts · Pickets lock into place, no screws or bolts needed LED Lighting WSP60-6 17730 60" High Gate Package - WPG60 1 pkg c/w Rails, hinge post, latch post, 8 pickets 3/4" square Railing with spacers, hinges and latch Fits openings up to 48" · Fasteners sold separately 36" Note: Pool applications require self closing hinges model:GHS (not included) Railing 17751 Gate Hinge - Self Closing - GHS 1 pair • For use with Regal railing gate packages 60" Provides smooth and reliable gate closure Available in White (0W) and Black (BL) Fasteners sold separately Assembly Parts Glass for Wind Wall/Pool Railing Item # Description Qty **Price** Fasteners 17370 3ft o/c Wind Wall/Pool Railing Glass - CTWG-31 1 panel • 31" x 53 1/4" (6mm) Rail Crystal 17382 4ft o/c Wind Wall/Pool Railing Glass - CTWG-43 1 panel • 43 x 53 1/8" x 1/4" (6mm) ADA Hand Stair Rail Note: Requires glass gasket and rubber blocks for installation Wind Wall/Pool Railing Components (Required for glass installation) Wood System Item # **Description** Qty **Price** 17301 Vinyl Insert for Tempered Glass - GVIL 1 set • For 6' o/c sections (actual length: 69") QuickStep GVIL 17300 **Rubber Blocks - GRB-10** 10/pkg · 2 blocks required per glass panel GRB-10 Merchandising

Available Colors: (GWH) Gloss White, (GBL) Gloss Black

ASSEMBLY PARTS

Item #	Description	Qty	Price		ng
17562	Universal Angle Bracket - UAB • To accommodate stairs and angles • Fasteners sold separately	1 set			42" Railing
	T dotonoro dona coparatory			Set includes one Top and one Bottom bracket	Tempered Glass
17560	Top & Bottom Wall Brackets - WB • For attaching Regal Aluminum Railing top and bottom	1 set			
	rails to an existing structure Fasteners sold separately				LED Lighting
17561	Top & Bottom Post Brackets - PB Top and bottom rail brackets for custom posts or multi-level applications	1 set			36" Railing
17540	Fasteners sold separately Sidemount Post Bracket - PSB Fascia mount bracket for End Post, Line Post, Stair	1 unit			60" Railing
17541	Pascia mount bracket for End Post, Elife Post, Stall Post or Inside Corner Post Fasteners sold separately Sidemount Corner Post Bracket - PSCB For Outside Corner fascia applications	1 unit		Top View Side View	Assembly Parts
47540	Fasteners sold separately	1 unit			Fasteners
1/510	Standard Replacement Post Cap - PC • Standard replacement post cap for Regal Aluminum Railing 2-1/4" posts	Turne			Crystal Rail
17580	4" Spacers - RS4-6 • 4" railing spacers (6/pack)	6/pkg			ADA Hand Stair Rail
17533	Post Leveling Wedge - PBW • Post Leveling Wedged Shim for 1:12 Slope	1 unit		6 0	Wood System
17550	Stair Saddle Bracket - PSSB Bracket replaces regular base plate on a 2 ¼" stair post so that it can be mounted to the top of a wood stringer c/w 4 base plate screws Shims included	1 unit			ng QuickStep
	 Accepts wood stringer thickness of 2.5" - 3.5" Colors: White, Black, Yard Bronze 			Saddle Bracket Shims	Merchandising
	Available Colors: (GWH) Gloss White, (GBL) Gloss Black	, (TTP) ⁻	Textured T	aupe, (TBZ) Textured Bronze, (TBL) Textured Black	Ĺ≝

Regal ideas **ASSEMBLY PARTS** 42" Railing **Price** Item # Description Qty 17595 Stair Rail Support Leg - SRSL 1 unit • For stair runs over 4ft • For glass panels 48" W and larger, and all windwall Tempered Glass Required when installing CAG-6 and CDG-6 glass Fasteners sold separately 17563 Hand Rail Bracket - HRB 1 unit LED Lighting • Used to attach top rail or stair top rail (graspable) to wall or post · Fasteners sold separately Railing 17570 1 unit Hand Rail Cap - HRC · End cap for stair rails 36" (For use with TBR Rails) · Fasteners sold separately 60" Railing 17590 Touch-Up Pen - TUP 1 unit • Touch-Up paint pen to match Regal Aluminum Railing Pen holds 10 ml of color matched paint and includes extra tip 17597 Inside Railing Brace - ISRB 1 unit Fasteners • Complete with fasteners for mounting on pickets or posts 17596 1 unit **Outside Railing Brace - OSRB** Crystal Rail · Complete with fasteners for mounting on pickets or posts ADA Hand Stair Rail 17751 **Gate Hinge - Self Closing - GHS** 1 pair • For use with Regal railing gate packages Provides smooth and reliable gate closure Available in White (0W) and Black (BL) · Fasteners sold separately Wood System 17710 42"H x 48"W Gate Package - ASGP 1 pkg (Straight 3/4" Pickets) • Fits openings up to 48' · Fasteners sold separately QuickStep 17720 42"H x 48"W Gate Package - WGP 1 pkg (Wide 1 %16" Pickets) Fits openings up to 48" · Fasteners sold separately Merchandising | GATE PACKAGE INCLUDES: Rails, hinge post, latch post, pickets with spacers, hinges and latch. Available Colors: (GWH) Gloss White, (GBL) Gloss Black, (TTP) Textured Taupe, (TBZ)Textured Bronze, (TBL) Textured Black

Railing

LED Lighting

Railing

36"

Crystal Rail

QuickStep

Regal ideas

Features:

- High strength fasteners and mounting plates for installing the various Regal ideas railing components.
- · Never compromise on using the right fasteners for your project.
- · Contact our Customer Service department for fastening drawings and requirements for your region.
- IMPORTANT: Please refer to your local building codes for guidelines and limitations.

Item #	Description	Qty	Price
17626	#10 x 3/4" Self Drilling Screws - WCS-50 • For metal connections • Available in all standard colors	50/pkg	J (human
17625	#10 x 1 1/4" Self Drilling Screw - S114 • To attach QuickStep stair treads to QuickStep stair stringers	24/pkg	J (mmm
17620	#14 x 2 ½" Lag Screws - SCP-24 • For mounting rail components to structures. • Available in all standard colors	24/pkg	- Community
17621	³⁄₅" x 6" Lag Screws - PML6	4/pkg	0
	Hot dipped galvanized For mounting of posts to deck substrate and into blocking		Lummmm
17619 17618	6" Self-Drilling Structural Lag Screws MPSS4/MPSS24 • 6" structural lag screws that are used for mounting posts to substrate into blocking. • Uses 3/8" hex head driver.	4/pkg 24/pkg	
	High-grade, zinc plated and double coated for maximum protection against rust and ACQ corrosion.		
17624	3/8" x 2 3/4" Structural Bolt c/w nut - MB3-4	4/pkg	
	For use with MP4, MP5 and MP6 mounting plate to stair treads Hot dipped galvanized		
17623	3/8" x 6" Structural Bolt - MB6	4/pkg	
	For use with MP4, MP5 and MP6 mounting plates. Hot dipped galvanized		
17530	4" Aluminum Bolt-Through Mounting Plate MB4 • For 2 1/4" post (under or side mount) • Mill finish aluminum	1 unit	
17531	5" Aluminum Bolt-Through Mounting Plate MP5 • For Crystal Rail (under or sidemount) • Mill finish aluminum	1 unit	
17532	6" Aluminum Bolt-Through Mounting Plate MP6 • For 4" Posts • Mill finish aluminum	1 unit	
17622	4" SS Concrete Anchors - MBC	4/pkg	/M. 6.4
	For concrete surface applications Stainless Steel		000
			<u> </u>

*IMPORTANT: Please refer to your local Building Codes for guidelines on post installations for above ground decks.

CRYSTAL RAIL

Railing

42"

Tempered Glass

LED Lighting

36"

Railing

Railing .09 Assembly Parts


Rail

Fasteners

ADA Hand Crystal Wood

Merchandising | QuickStep

- The stunning clarity of Regal Ideas White No Iron Tempered Glass panels make it the obvious choice for homeowners that want an unobstructed view. Conforms to code specifications in U.S. and Canada.
- Tempered Glass contains no iron which produces a crystal clear glass panel with clarity like you have never seen before.
- Glass Mounting brackets include pre-installed LED's that can light up your glass panels at night.
- White No Iron Tempered Glass Stair Panels are also available.
- **Download Installation Instructions at regalideas.com/downloads



Crystal Rail Horizontal & Stair Glass Mounts

Item #	Description	Qty	Price	
16200	Horizontal Glass Mount with LED - CRH-SA To hold No Iron tempered glass panels (CRG) c/w internal leveling angle adjustments c/w white LED light inside mount	1 unit		• • •
16201	Stair Horizontal Glass Mount - CRHS-SA • To hold No Iron tempered glass panels (CRSG) on stairs • c/w internal leveling angle adjustments • c/w white LED light inside mount	1 unit		
	Color: Satin Aluminum IMPORTANT: LED Controller Kit and additional components required to operate LED (see below)			

LED Controller and Components

16230	LED Controller - CRLC	1 unit	Apple #android WiFi)
			Thomas Andrews
	 For use with Crystal Rail glass mounts Max 40 glass mounts per controller Includes Remote Control 		CRLC/CRLA
16229	WIFI LED Controller - CRLA	1 unit	The state of
	 Use your iPhone or Android to control your LED lights Program your lights to come on and off at predefined times. Built in photocell for automatic dusk to dawn operation Package includes: Compact low voltage control unit, remote control, heat shrink tube, RF unit and photocell. 		
16231	 Double-T Splitter Connection Cord - CRDT 78" (2 meter) cord. Connects power to LED's One required for each glass section (per 2 mounts) 	1 unit	CRDT

i vego	al ideas			CRYSTAL RAIL	
White I	No Iron Tempered Glass Panels - 3/8" (1	0mm)	Thickne	ess	iling
Item #	Description	Qty	Price	7	42" Railing
16024	24" x 40" H White No Iron Clear Panel - CRG24	1 panel			
16030	30" x 40" H White No Iron Clear Panel - CRG30	1 panel			ered
16036	36" x 40" H White No Iron Clear Panel - CRG36	1 panel			Tempered
16042	42" x 40" H White No Iron Clear Panel - CRG42	1 panel			Ľ
16048	48" x 40" H White No Iron Clear Panel - CRG48	1 panel			lting
16054	54" x 40" H White No Iron Clear Panel - CRG54	1 panel			Ligh
16060	60" x 40" H White No Iron Clear Panel - CRG60	1 panel			LED Lighting
					Railing
White I	No Iron Tempered for 35° Stair Glass Pa	anels (N	Note: for	use on 35° angle)	36"
Item #	Description	Qty	Price	T	Railing
16103	10mm Angled glass for 3 steps (29 ½") - CRSG03	1 panel			Rai
16104	10mm Angled glass for 4 steps (40") - CRSG04	1 panel			.09
16105	10mm Angled glass for 5 steps (50 ½") - CRSG05	1 panel			<u>></u>
					Assembly Parts
White I	No Iron Tempered Glass for Pool Rail/V	Vind W	/all App	lications	┢
Item #	Description	Qty	Price		Fasteners
16048	48" x 40" White No Iron Tempered Glass - CRG48	1 panel			Fas
10040	Can be installed on end to achieve 50" height when	i panei			Rail
	48" (min) is required				stal Rail
16060	60" x 40" White No Iron Tempered Glass - CRG60	1 panel			Crys
	Can be installed on end to achieve 62" height when 60" (min) is required				р.,
					ADA Hand Stair Rail
	NOTE: Wind Wall/Pool Railing designed for ground level applications only				ADA Stai
	Tor ground lever applications only				È
					Wood
/acuun	1 Cup				Sys
Item #	Description	Qty	Price	1	۾ ا
16250	Vacuum Cup - CVC	1 unit			QuickStep
	Vacuum tool for easier moving and handling of 3/8"				Juic
	(10mm) glass panels (2 required)				
					erchandising
					a a

Regal ideas **CRYSTAL RAIL** Railing 42, CRBE-SA CRBA-SA **Tempered** 3.75in CRSP-SA Lighting Railing Features: CRBC-SA Bracing Clips and Supports are required for Building Code approval. Keeps glass panels aligned at the top and corners at 90° angles. 36, Attach to glass using 2 part epoxy. Install 6" from top of glass panel. Railing **Crystal Rail Bracing Clips and Support** Item # Description Qty **Price** .09 16211 Adjustable Wall Bracing Clip - CRBW-SA 1 unit Assembly Parts To secure 10mm CrystalRail Tempered Glass panel to Made from 100% aluminum and powder coated in a Satin Aluminum finish. 16210 Adjustable Angle and Line Clip - CRBA-SA 1 unit Fasteners Secures two CrystalRail Tempered Glass panels together. Used in-line or on corners. Made from 100% aluminum and powder coated in a Satin Aluminum finish. Crystal Rail 16220 1 unit **End Bracing Support - CRSP-SA** CRSP-SA Provides support to CrystalRail Tempered Glass panel that is open on one side (i.e. stair opening). Also used to attach ADA handrail down steps when using CrystalRail on a stair application. Hand Rail To be used with CRBE-SA and HSF-SA clip/bracket. Made from 100% aluminum and powder coated in a Satin ADA F Stair F Aluminum finish. **Base Plate Cover for Support Post - CRBC-SA** 16221 1 unit · Two piece cast aluminum base plate cover. Wood System Wraps post base to hide fasteners and provide a more finished appearance. CRBC-SA Made from 100% aluminum and powder coated in a Satin Aluminum finish. QuickStep 16212 1 unit **End Bracing Clip - CRBE-SA** · Bracing clip to connect Crystal Rail glass panels to end support post at end section of horizontal glass. Made from 100% aluminum and powder coated in a Merchandising Satin Aluminum finish.

Color: (SAL) Satin Aluminum

CRYSTAL RAIL

Crystal	Rail Gate Parts				ling	
Item #	Description	Qty	Price		42" Railing	
16240	Gate Hinge Set - CRGH-SA • Durable hinge set used to hold the Crystal Rail Glass panel for the gate (max panel size: 42"W)	1 pair				
16241	Self Closing Gate Hinge Set - CRGSH-SA • Provides smooth and reliable gate closure for Crystal Rail Glass gate (max panel size: 42"W) • For use with CRGH-SA Gate Hinge Set	1 pair			ing Tempered	
16243	Magnetic In-line Gate Latch - CRIL-SA • Magnetic in-line latching system • For use in horizontal in-line gates	1 unit			LED Lighting	
16242	Magnetic Corner Gate Latch - CRCL-SA • Adjustable magnetic corner gate latching system • For use in 90° corner gates	1 unit			36" Railing	
16244	Magnetic Wall Gate Latch - CRWL-SA • For use when gate closes against a wall. • For use in horizontal in-line gates.	1 unit		WALL OF THE PROPERTY OF THE PR	60" Railing	
2 Part Acrylic Adhesive						
Item #	Description	Qty	Price		Assembly	
16251	 Glue Dispenser - CRGG Applicator for 2 part acrylic adhesive. Used to adhere Crystal Rail bracing clips to glass. 	1 unit			Fasteners As	
16252	Part Acrylic Adhesive - CREG Used to adhere Crystal Rail bracing clips to glass. Includes glue tube with mixer tips and 4 needle tips.	1 pkg			Crystal Rail Fa	
Fastene	rs for Crystal Rail	I.				
Item #	Description	Qty	Price		Han	
17531	5" Aluminum Bolt-Through Mounting Plate MP5 • For Crystal Rail	1 unit		(e)	ADA Hand	
17623	• Mill finish aluminum 3/8" x 6" Structural Bolt - MB6	4/pkg			Wood	
	For use with MP4, MP5 and MP6 mounting plates. Hot dipped galvanized			(
17621	 3/8" x 6" Lag Screws - PML6 Hot dipped galvanized For mounting of posts to deck substrate and into blocking 	4/pkg		Lummmm	QuickStep	
17622	4" SS Concrete Anchors - MBC • For concrete surface applications • Stainless Steel	4/pkg		000	Merchandising	
PPOPU	CTS MAY NOT BE EXACTLY AS ILLUSTRATED			Page 18	Ž	

Regal ideas CRYSTAL RAIL - HAND/STAIR RAIL Railing **Crystal Rail Stair & ADA Handrail** HSF-SA **Connection Detail:** 42, CRBE-SA Tempered Glass CRSP-SA glass HBG-SA Lighting LED L glass Railing CRBE-SA 36" Railing The stairs **Download Installation Instructions at regalideas.com/downloads CRBC-SA .09 Parts Required For Attaching ADA Handrail to Crystal Rail Assembly Parts Item # Description Qty **Price** 1 unit 37162 10mm Glass Bracket - HBG-SA To attach hand/stair rail to Crystal rail 10mm glass Fasteners WCS-50-SA screws required to attach handrail to HBG-SA bracket (sold separately) 37163 Epoxy Mounted Handrail Bracket - HGC-SA Attaches ADA Handrail bracket to mid-span of glass Crystal Rail with acrylic adhesive (CREG and CRGG sold separately). Used with Crystal Rail stair glass where handrail brackets are required to be placed 4ft or less apart. ADA Hand Stair Rail 37164 Handrail Sleeve Fitting - HSF-SA 1 unit Sleeve fitting attaches handrail to end support post when using ADA handrail with Crystal Rail stair glass. · WCS-50-SA screws required (sold separately). Wood System 17626 #10 x 3/4" Self Drilling Screws - WCS-50-SA 50/pkg · For metal connections · Color: Satin Aluminum QuickStep 17624 4/pkg 3/8" x 2 3/4" Structural Bolt c/w nut - MB3-4 • To mount CRHS Pods through stair treads · Hot dipped galvanized **Aerchandising**

CRYSTAL RAIL - HAND/STAIR RAIL

	Components				1
Item #	Description	Qty	Price	T	
37150	8ft Hand/Stair Rail - HR08-SA	1 unit			l
	• 1 ½" OD Hand/Stair rail			0	7
					Longia
					ا
37158	90° Corner/Return Rail Section - HCR-SA • To accommodate 90° corner or ground return	1 unit			H
	A picket or post bracket must be used at each seam of				
	rail to rail connections when used as a corner				l
				_	H
					1
37154	90° Wall Return - HW90-SA • To accommodate 90° return into wall or post	1 unit			
	lo docominodate do Totam into mair en post				L
					l
37159	Handrail Loop Return - HLR-SA	1 unit			L
37 139	180° return to finish handrail system				:
	A wall return is used one end to attach to post of wall 35° elbow required for stairs, 5° elbow required for				l
	ramps				Ŀ
					l
37157	35° Elbow - HE35-SA	1 unit			l
	Connects 180° handrail return to hand/stair rail on stair applications			12"	L
07474	Bail Culing and Con. HCC CA	1 unit			
37151	Rail Splice and Cap - HSC-SA6" splice to connect sections of hand/stair rail	T GITTE			
	Requires four (4) WCS-50-SA (sold separately)				
					Ļ
	Fred Polit Con LIFC CA	1 unit		_].
37155	End Rail Cap - HEC-SA • End cap for rails	i uiiit			-
					ŀ
37160	Handrail Wall/Post Return Connector - HWC-SA	1 unit			
37 100	Used to cap the end of the hand rail tube against a				L
	wall, post or ground return • Requires five(5) fasteners (sold separately)				
	1				-
Av	ailable Color: (SAL) Satin Aluminum				L

ADA COMPLIANT HAND RAIL


42" Railing

Tempered Glass

ED Lighting

Features:

- Regal ideas offers a complete aluminum Hand/Stair rail solution (ADA Compliant).
- Easy to install and conforms to code specifications in the U.S. and Canada.
- Provides added safety and security to any stair or ramp.
- Used as hand rail/stair rail for Crystal Rail system.



ing	Hand/Sta	air Rail Components				
Railing	Item #	Description	Qty	Price		
Railing 36"	17626	#10 x 3/4" Self Drilling Screws - WCS-50-SA • For fastening components together • Satin Aluminum color	50/pkg		(mmm)	
Assembly 60"	37150	8ft Hand/Stair Rail - HR08-SA 1 ½" OD Hand/Stair rail	1 unit		0	
Fasteners Asse Pa	37158	90° Corner/Return Rail Section - HCR-SA • To accommodate 90° corner or ground return • A picket or post bracket must be used at each seam of rail to rail connections when used as a corner	1 unit		1	
Crystal Rail	37154	90° Wall Return - HW90-SA • To accommodate 90° return into wall or post	1 unit			
ADA Hand Stair Rail	37159	Handrail Loop Return - HLR-SA 180° return to finish handrail system A wall return is used one end to attach to post of wall 35° elbow required for stairs, 5° elbow required for ramps	1 unit			
QuickStep System	37157	 35° Elbow - HE35-SA Connects 180° handrail return to hand/stair rail on stair applications 	1 unit		12"	
Merchandising Qui	37156	5° Elbow - HE5-SA • Connects 180° handrail return to handrail on ramp applications ailable Color: (SAL) Satin Aluminum	1 unit		12"	
Σ	AVa					

ADA COMPLIANT HAND RAIL

Hand/Stair Rail Components						
Item #	Description	Qty	Price	42" Railing		
37151	Rail Splice and Cap - HSC-SA • 6" splice to connect sections of hand/stair rail • Requires four (4) WCS-50-SA (sold separately)	1 unit		Tempered 42"		
37152	Adjustable Angle Connector - HAC-SA • Accommodates any corner or angle connection • Requires two(2) WCS-50-SA screws (sold separately)	1 unit		36" Railing LED Lighting		
37155	End Rail Cap - HEC-SA • End cap for rails	1 unit		60" Railing		
37153	Wall/Post Bracket - HBW-SA • To attach handrail to wall or post	1 unit		Fasteners Assembly Parts		
	Requires six(6) WCS-50-SA screws (sold separately)			Crystal Rail Fast		
37161	Picket Bracket - HBP-SA • To attach handrail to railing picket • Requires six(6) WCS-50-SA screws (sold separately)	1 unit		ADA Hand Stair Rail		
				Wood		
37160	Handrail Wall/Post Return Connector - HWC-SA Used to cap the end of the hand rail tube against a wall, post or ground return Requires five (5) fasteners (sold separately)	1 unit		QuickStep		
	, (5, (55.4 55)			 Merchandising		
A	vailable Color: (SAL) Satin Aluminum			Me		

WOOD RAILING SYSTEM

42,


Tempered Glass

LED Lighting

Wood Railing System

Features:

- Choose from Classic Round or Flat Curved pickets.
- Picket systems for 36", 42" and 46" railing heights.
- Pickets come in a textured black powder coat finish.
- Low maintenance product made of 100% aluminum alloy that will never rust.
- Can be used with wood and composite materials.



Round Balusters - for use with wood or composite materials


	Round Balasters for use with wood of composite materials					
ng	Item #	Description	Qty	Price		
36" Railing	17210	26" Round Balusters - WPR26 (For 36" Railing) • Each package of 10 pieces will fill approximately four	10/pkg	0	0	
Railing		lineal feet of railing if balusters are spaced 4" o/c				
.09	17216	32" Round Balusters - WPR32 (For 42" Railing)	10/pkg			
Assembly Parts		Each package of 10 pieces will fill approximately four lineal feet of railing if balusters are spaced 4" o/c				
Ass	17220	36" Round Balusters - WPR36 (For 46" Railing)	10/pkg			
Fasteners		Each package of 10 pieces will fill approximately four lineal feet of railing if balusters are spaced 4" o/c		26" 32"	36"	
Fast	17601	Horizontal Connectors - WHCR (For use with WPR's above)	20/pkg			
Crystal Rail		Fasteners Included				
CC	17605	Stair Connectors - WSCR	20/pkg	WHCR		
ADA Hand Stair Rail	17003	(For use with WPR's above, designed for 35° angle) • Fasteners Included	Lorping	WSCR		
ъE		Available Color: (TBL) Textured Black				

QuickStep


Merchandising

Measure opening between posts and cut top and bottom rails. Deduct 1/2" from connectors on each mark on rails. each rail if using rail brackets to secure the rails to posts.

Mark both rails at same time, 4-1/2" on center, to ensure balusters are plumb




Using the screws provided, attach the



STEP 3

- A- Secure bottom rail to posts and install balusters onto connectors on the bottom rail.
- B- Place top rail over balusters ensuring connectors are fully seated in each baluster. Secure top rail to posts.
- C- Install cap rail to finish.



Railing

LED Lighting

Railing

36"

Fasteners

Crystal Rail


Regal ideas

WOOD RAILING SYSTEM

Wood Railing System - Using Regal Aluminum Pickets

Features:

- Regal Ideas railing adapters allow you to use any of the picket styles for your wood or composite railing system.
- Low maintenance product made of 100% aluminum alloy that will never rust.
- For use with both wood or composite decking materials.



Picket Mounting Brackets - for use with wood or composite

Item #	Description	Qty	Price	
17602	Horizontal Connectors for Square Pickets WHCS • For use with Regal Aluminum Railing ¾" straight pickets • Available in Black only	20/pkg		
17606	 Stair Connectors for Square Pickets - WSCS For use with Regal Aluminum Railing ¾" straight stair pickets (designed for 35° angle) Available in Black only 	20/pkg		WHCS WSCS
17603	Picket Mounting Bracket Set - WPB	1 set		
	 Powder coat aluminum casting Accepts any Regal Aluminum Railing ¾" straight or decorative picket styles c/w fasteners Available in Black and Yard Bronze 			TOP BOTTOM

Decorative Picket Options - for use with Picket Mounting Brackets (WPB) above

Item #	Description	Qty	Price
17200	Narrow Round Decorative Picket - DP-NR	1 unit	
17201	Wide Round Decorative Picket - DP-WR Note: Pickets require WPB Picket Mounting Brackets for installation on wood or composite rails Not for use in stairs	1 unit	
			ND WD

Regal Picket Options - for use with Picket Mounting Brackets (WPB/WHCS) above

Item #	Description	Qty	Price	
17133	Straight Pickets for 6' o/c - SP-6	14/pkg		
17135	Straight Pickets for 8' o/c - SP-8	19/pkg		······
17137	Straight Pickets for 10' o/c - SP-10	24/pkg		PICKET MOUNT BRACKETS
	Note: Pickets require WPB, WHCS or WSCS Picket Mounting Brackets for installation on wood or composite rails.			SQUARE PICKET

Available Colors: (GWH) Gloss White, (GBL) Gloss Black, (TTP) Textured Taupe, (TBZ) Textured Bronze, (TBL) Textured Black

WOOD RAILING SYSTEM

Railing 42,

Tempered Glass

LED Lighting

Railing 36" Railing

Assembly Parts


.09

Fasteners Crystal Rail

ADA Hand Stair Rail

QuickStep Merchandising Give a custom finished look to any deck!

- Regal Ideas has everything you need to build your next custom wood deck railing.
- Go from Classic to Elegant with our aluminum railing pickets or use our Glass mount track to install any of our Tempered Glass panels.



Post and Rail Attachments - for use with wood or composite materials

Item #	Description	Qty	Price	
17534	4"X4" Post Anchor - WPA44 • Made of polymer • For 4"x4" Wood or Composite posts • Includes Fasteners • Natural Cedar color Note: Not to be used on deck surfaces higher than 24" above grade	1 unit		WPA44
17536	Structural 4"X4" Post Anchor WPA44S • Made of aluminum alloy • For 4"x4" Wood or Composite posts • Includes Fasteners • Natural Cedar color Note: Approved for use on deck surfaces higher than 24" above grade	1 unit		WPA44S (ALUMINUM)
17610	Rail Attachment for Wood Railing and Fence - WRA24 • Includes Fasteners • Natural Cedar color	1 set		0 0 0 WRA24

Post Caps - for 4"x4" wood posts

Item #	Description	Qty	Price
17521	Ball Decorative 4x4 Post Cap WPC-B	1 unit	
17522	Pyramid Decorative 4x4 Post Cap WPC-P	1 unit	
17523	Tower Decorative 4x4 Post Cap WPC-T	1 unit	
	 For nominal 4"x4" Wood or Composite posts Hidden claw system, grips onto post No Fasteners or adhesive required Available Colours: (NC) Natural Cedar, (GBL) Gloss Black, (TBZ) Yard Bronze 		WPC-B WPC-P WPC-T COLORS: NC - NATURAL CEDAR BL - TEXTURED BLACK YB - YARD BRONZE

Tempered Glass

LED Lighting

36" Railing

60" Railing

Page 26

Regal ideas

WOOD RAILING SYSTEM


Wood Railing System - Using Regal Tempered Glass

Features

 Regal Ideas Glass Mount Track (WGT) allows you to install ¼" (6mm) tempered glass to your wood or composite railing system.

PRODUCTS MAY NOT BE EXACTLY AS ILLUSTRATED

· Easy to install.



Glass Mounting Track - For use with wood or composite

Item #	Description	Qty	Price	
17600	Glass Mounting Track Set - WGT • For wood and composite railing • 68" length, for 6' o/c • LED compatible. Works with Regal ideas LED Lighting systen. • NO rubber blocks required Color: (YB) Yard Bronze	1 set		Top Bottom

Tempered Glass Panels 35 1/8" H x 1/4" T (6mm) - For use with Glass Mounting Track (WGT) above

rempe	red Glass Panels 35 78 H X 74 I (bill	iii) - Foi us	e with Gias	ss woulding track (vvG1) above	
Item #	Description	Qty	Price		틸
17306	6" Tempered Glass Panel - CTG6	1 panel			Assembly
17308	9" Tempered Glass Panel - CTG9	1 panel			S
17312	12" Tempered Glass Panel - CTG12	1 panel			Fasteners
17315	15" Tempered Glass Panel - CTG15	1 panel			Fast
17318	18" Tempered Glass Panel - CTG18	1 panel			H
17321	21" Tempered Glass Panel - CTG21	1 panel			Crystal Rail
17324	24" Tempered Glass Panel - CTG24	1 panel			stal
17327	27" Tempered Glass Panel - CTG27	1 panel		Glass Panel	ပ်
17330	30" Tempered Glass Panel - CTG30	1 panel		a Pair	p :
17333	33" Tempered Glass Panel - CTG33	1 panel		1055	ADA Hand Stair Rail
17336	36" Tempered Glass Panel - CTG36	1 panel			ADA istri
17339	39" Tempered Glass Panel - CTG39	1 panel			
17342	42" Tempered Glass Panel - CTG42	1 panel			pc
17345	45" Tempered Glass Panel - CTG45	1 panel			Wood
17348	48" Tempered Glass Panel - CTG48	1 panel			
17351	51" Tempered Glass Panel - CTG51	1 panel			de
17354	54" Tempered Glass Panel - CTG54	1 panel			kSte
17357	57" Tempered Glass Panel - CTG57	1 panel			QuickStep
17360	60" Tempered Glass Panel - CTG60	1 panel			H
17363	63" Tempered Glass Panel - CTG63	1 panel			Merchandising
17366	66" Tempered Glass Panel - CTG66	1 panel			chan
	**For smaller glass panel heights, see page 9				Mer

QuickStep STAIR SYSTEM

, Railing 42,


- Complete stair solution including stair treads, riser covers and stair stringers.
- Easy undermount installation.
- · Stair Stringers made of never rust, premium UV powder coated aluminum alloy.
- Tread increments from 1 to 9 steps.

Aluminum Stair Stringers (2 per package)

Ten	Item #	Description	Qty	Price
LED Lighting	89000	1 Step Aluminum Stair Stringer QS-1 Rise to Deck: 15", Run: 10.5"	2/pkg	
36" Railing	89001	2 Step Aluminum Stair Stringer QS-2 Rise to Deck: 22.5", Run: 21"	2/pkg	
60" Railing	89002	3 Step Aluminum Stair Stringer QS-3 Rise to Deck: 30", Run: 31.5"	2/pkg	
Assembly Parts	89003	4 Step Aluminum Stair Stringer QS-4 Rise to Deck: 37.5", Run: 42"	2/pkg	
Fasteners	89004	5 Step Aluminum Stair Stringer QS-5 Rise to Deck: 45", Run: 52.5"	2/pkg	
Crystal Rail	89005	6 Step Aluminum Stair Stringer QS-6 Rise to Deck: 52.5", Run: 63"	2/pkg	
ADA Hand Stair Rail	89006	7 Step Aluminum Stair Stringer QS-7 Rise to Deck: 60", Run: 73.5"	2/pkg	
Wood System	89007	8 Step Aluminum Stair Stringer QS-8 Rise to Deck: 67.5", Run: 84"	2/pkg	
dising QuickStep	89008	9 Step Aluminum Stair Stringer QS-9 Rise to Deck: 75", Run: 94.5"	2/pkg	
Merchandising	•	Available Colors: (GWH) Gloss White, (TBL)	Textured	

QuickStep ALUMINUM STAIR SYSTEM

Stair T	reads and Riser Covers - For use with Qu	uickStep	Stair Stri	ngers	Railing
Item #	Description	Qty	Price		Ra
89015	 Stone Wood Stair Tread - QST4 Made of high strength S-Glass fiber to accommodate up to 36" wide stair stringer spacing Can be cut to any length Colors: Natural Cedar, Slate Gray Slze: 48"L x 11"D x 1 1/2"H Fasteners and MPI insert sold separately 	1 unit			Tempered 42"
89010	Stair Riser Cover - QSR4 • Aluminum riser cover for use with QuickStep Stringers • Colors: White, Black, Yard Bronze • Size: 7-3/8"W x 3"D x 48"L • Fasteners sold separately	1 unit			ng LED Lighting
17901	LED Riser Cover Lights - LED-SL Connects to Regal LED lighting system Light Colors: White (0W), Blue (BE), Gold (GD)	1 unit	Not Currently		36" Railing
Otala O	**SEE PAGE 5 FOR COMPLETE SYSTEM CONFIGURATION AND PARTS		Available		60" Railing
Stair S	tringer Connector Kit	04.	Price		<u> </u>
89009	Stair Stringer Connector Kit - QSC Designed to connect second stringer to QS7 but can be cut to size for connecting to smaller stringers Includes:	Qty 1 kit	Frice	Stair Stringer	Assembly
	 Two 52 ¼" x 2 ¼" posts, connection adapter brackets, cross brace and attached base plate Fasteners sold separately Colors: Black, White, Yard Bronze 			Connector Kit	Fasteners
Fasten	ers and Mounting Plates				ail
Item #	Description	Qty	Price		tal R
17626	#10 x ¾" Self Drilling Screws - WCS-50 • To mount riser cover (QSR4) to stair stringers	50/pkg		Connection	Crystal Rail
17625	#10 x 1 1/4" Self Drilling Screw - S114 • To attach QuickStep stair treads to QuickStep stair stringers	24/pkg		(horozona)	ADA Hand
17624	%" x 2 ¾" Structural Bolt c/w nut - MB3-4 • For use with mounting plate to stair treads • Hot dipped galvanized	4/pkg			
89012	Mounting Plate Insert - MPI Aluminum insert for mounting post on QST4 Stair Treads (2 pieces, 12" length) Fasteners sold separately	2 pcs		Post	Step Wood
17530	4" Aluminum Bolt-Through Mounting Plate MP4 • For 2 1/4" post. Mill finish aluminum	1 unit		0	QuickStep
17531	5" Aluminum Bolt-Through Mounting Plate MP5 • For Crystal Rail mounts. Mill finish aluminum	1 unit			ndising
17532	6" Aluminum Bolt-Through Mounting Plate MP6 • For 4" Posts. Mill finish aluminum	1 unit		6	Merchandising
PRODU	CTS MAY NOT BE EXACTLY AS ILLUSTRATED			Page 28	



more ideas at regalideas.com



Our Story...

Innovation runs deep at Regal Ideas. Over 30 years ago, the company opened its doors with one product line, Regal Aluminum Railing, Today, Regal ideas is the industry leader and has become the largest and most renown brand of aluminum railing in North America and around the globe.

From Inspiration to Innovation to Safety and Durability, Regal Ideas spends an extensive amount of time researching, developing and evolving it's product mix to bring innovative products that inspire homeowners, contractors and architects.

Inspiring Homeowners, One Deck at a Time



How do we manage to continue to innovate and inspire? We partner with Paul Lafrance todays most inspiring Celebrity Deck Builder, Paul Lafrance.

"Regal ideas passion for innovation, quality and service are next to none. I have been using the Regal ideas products for many years on my projects, and they still look as good as the first day they were installed. As a homeowner, I appreciate the ease of installation and the low maintenance of the product. From a contractor's perspective I value the reduced amount of time it takes to complete a job." -Paul Lafrance

PAUL LAFRANCE

CELEBRITY TV HOST AND PROFESSIONAL DECK BUILDER, AS SEEN ON:

Tempered Glass Panel page 4



Aluminum Picket System page 6







QuickStep Stair System



Commercial page 15



CrystalRail® page 10




ADA Handrail



Wood In-Fill System page 16





TEMPERED GLASS PANELS

When Safety and Durability are paramount!

Our signature Regal Railing Tempered Glass Panels provide homeowners a safe and durable unobstructed view.

For Residential, Commercial and Mult-Family applications.

FEATURES:

- · 6mm (1/4") Tempered Glass Panels.
- Meets and exceeds code specifications in U.S. and Canada.
- Railing system constructed from high strength never-rust aluminum alloys.

PANEL SIZES

- Regal ideas stocks 21 sizes of tempered glass panels!
- From **6" to 66"** wide in 3 inch increments.



Optional **Fascia Mount Post Brackets** gives your deck that extra space.



Light up your deck with Regal ideas **LED Lighting System**.



Finish your stairs with our angled **Stair Class Pickets** and **Craspable Hand Rail.**

Aluminum Railing Available in 5 Colors:

WHI

BLACK

YARD BRONZE TEXTURED BLACK

TURED NEW





Black Regal Aluminum Railing With Narrow Pickets, Graspable Handrail and Fascia Mount Post Brackets.

Taupe Regal Aluminum Railing with Narrow Pickets and Post Mount

ALUMINUM PICKET RAILING SYSTEM

WITH PATENTED LOCKING PICKETS

Our Patented Lock-in Picket System allows our pickets to be quickly installed without the use of bottom rail supports and fasteners.

Proven to install in half the time of other railing systems.



- Easy to install 3/4" sq. pickets.
- · Picket options: Wide, Narrow, Decorative.
- · Constructed of high strength neverrust aluminum alloys.
- · Meets and exceeds national building codes.
- · Premium UV powder coat finish provides maximum durability and low maintenance.
- · Lock-in Pickets are available in 42", 36" and 60" high profiles.



Complete your Regal Railing with our aluminum **Decorative Post Caps**.



Personalize you Regal Railing with our aluminum Decorative Pickets.



Black Regal ideas aluminum pickets with **Decorative Circle Inserts**.

Aluminum Railing Available in 5 Colors:









place in seconds



LED LIGHTING SYSTEM

Create that perfect outdoor living sanctuary and make your deck come alive with Regal ideas LED lighting System, with energy-efficient LED technology!

It's time to light up your outdoors!

FEATURES:

- · Exterior moisture resistant, low voltage lighting system.
- · Designed to work exclusively with Regal ideas Aluminum Railing system.
- · 36", 42", 60" Pickets and Glass applications.
- · Remote control included.
- Each power center can run up to 60ft (10 strips) of LED lighting.

3 Color and Brightness Settings:









Easy to Install. No splicing of wires or direct hard wiring required.



Tempered Glass panels shown with Blue LED lighting mode.



Regal ideas Aluminum Stair Pickets shown with Gold LED lighting mode.

Crystal Rail® FRAMELESS GLASS RAILING SYSTEM Nothing between You and the View!

Defining a new Standard in **Outdoor Living** Luxury



Our 10mm CrystalRail® tempered glass panels are 98% free of Iron which produces a crystal clear glass panel with clarity you have never seen before.

CRYSTALRAIL®

No Posts, No Rails, Just the View!

The stunning clarity of Regal ideas white "No Iron" Tempered Glass panels make it the obvious choice for homeowners that want a pure unobstructed view.

FEATURES:

- · Glass mounting brackets include preinstalled LED's that light up your glass panels at night.
- · White No Iron Tempered Glass Stair Panels are also available.
- · Conforms to code specifications in U.S. and Canada.
- · See your local Regal ideas Dealer for glass panel sizes.
- · Stair Glass and Pool Rail panels also available.
- · DIY friendly, install this system in one day.



No-Iron Crystal Rail® Glass Panels are so clear, you will not even know they are there.



Powered LED bases and crystal clear tempered glass, provide the perfect evening ambiance.



Pure Glass... pure Class. **Crystal Rail**[®] defines the ultimate in outdoor glass system.



QUICKSTEP STAIR SYSTEM

Regal ideas offers a complete easy to install Stair System, from designer stair stringers to stair treads and connector kits.

Complete your stairs like a Pro in less time it takes you to cut traditional wood stair stringers!

Aluminum Stringers, Riser Covers and Connector Kit Available in 3 Colors:


STAIR RISER COVER

CUBIERTA PARA RIELES DE SOPORTE PARA ESCALERA



Aluminum Riser Cover attaches easily to close in back of stair.

QuickStep* **STAIR TREADS**





Slate Gray

Natural Cedar

STONE WOOD STAIR TREADS

- Made of high strength S-Glass fiber to accommodate up to 36" wide stair stringer spacing.
- · Quick undermount attaching hides fasteners.
- No twisting, no expanding, no shrinking.
- · Flameproof and waterproof.
- Size: 48"L x 11"D x 1 ½"H
- · Available in 2 colors.





QuickStep stair treads shown with QuickStep stair stringers at 36" centers.

QuickStep* STAIR STRINGERS



ALUMINUM STAIR STRINGERS

- · Easy undermount installation.
- · Meets or exceeds Building Code.
- · Constructed of high strength neverrust aluminum alloys.
- Premium UV powder coat finish provides maximum durability and low maintenance. (Meets AMA-2603)
- · Sold in pairs (2/pkg)
- · Rise: 7.5", Run: 10.5"



STAIR STRINGER CONNECTOR KIT



Eliminate the need for a landing and accommodate up to 14 steps with Regal ideas Stair Stringer Connector Kit.

QuickKit® ADA COMPLIANT HANDRAIL SYSTEM



Regal ideas offers a complete aluminum Hand/Stair rail solution that is ADA compliant and easy to install!







ONE Product,

Multiple Solutions!





5° Elbow





Loop Return

End Rail Cap

Wall Connector



Color: Anodized Satin Aluminum

ADA HAND/STAIR RAILING

FEATURES:

- · Provides a continuous graspable surface throughout its entire length.
- · Provides added safety and security to any stair or ramp.
- · Constructed of high strength aluminum alloys that will never rust.
- · Conforms to code specifications in the U.S. and Canada.
- Does NOT require any welding or special fabrication. Easy to install component system.
- · Also used as a hand/stair rail for Crystal Rail





Black Regal Aluminum Railing

with Tempered Glass Panels



Black Aluminum Curved Balusters shown with Post and Wood Rail attachments. (32" lengths for 42" High Railing)

Black Round Balusters shown with Post and Wood Rail attachments. (Available in 26", 32", 36" lengths)

WOOD IN-FILL SYSTEM

Add style to your wood railings!

Regal system adapters allow you to use any of the picket styles or tempered glass panels for your wood railing!



FEATURES:

Go from classic to elegant with Regal ideas aluminum wood in-fill options:

- Classic Round or Flat Curved Pickets.
- Square pickets adapters for use with
- Regals ideas aluminum pickets,
- Picket mounting brackets for use with decorative pickets,
- Decorative Post Caps
- Post and Wood attachments,
- Tempered Glass mounting track.



Use our Glass Mount Track to install Regal Tempered Glass Panels in a wood railing application.



Mix and Match with Regal Ideas Aluminum pickets to create a custom railing with our Picket Connectors.



Regal ideas has everything you need to build your custom wood deck railing. See your local Dealer for our full listing.

THE CHOICE IS YOURS!

THE REGAL DIFFERENCE

Standard Aluminum Railing Sizes:

			() act	Rail Louin	ength _{measur}	1S ement		Pic	ket Pa	ıcks		Sta Pick				Colors		
		POST SIZE	6ft (69")	8ft (93")	10ft (117")	12ft (141")	6ft Narrow	6ft Narrow	6ft Narrow	6ft Narrow	3ft Wide	Narrow	Wide	White	Black	Taupe	Yard Bronze	Textured Black
14		2 1/4" X 42"H	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	1	4" X 42"H	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
		2 1/4" X 60"H**	•	•	•	•	•					*	*	•	•			
1.		2 1/4" X 36"H	•	•	•	•	•					•		•	•			•

 $\hbox{* Use standard Regal Aluminum Stair Railing when using 60" high Wind Wall/Pool Railing} \ .$ ** 60" high Wind Wall/Pool Railing for ground level applications only . Post base plates are ACQ corrosion resistant.

Decorative Options:

1	ı		Deco Base Cover	rative A Dec Circle	Access Picket NR		Po	ost Ca	ps	Ga	tes	Glass			Colors		
		POST SIZE		\Box	Ŧ		*		*	Narrow Picket	Wide Picket	Panels	White	Black	Taupe	Yard Bronze	Textured Black
¥		2 1/4" X 42"H	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Ť	4" X 42"H	•	•	•	•				•	•	•	•	•	•	•	•
		2 1/4" X 60"H**	•	•			•	•	•	•		•	•	•			
Picket NR	Picket WR	2 1/4" X 36"H	•	•			•	•	•	•			•	•			•

Aluminum Railing Connection Options:

All Regal ideas Aluminum Railing accessories and parts are made of 100% pure high strength aluminum with a premium UV powder coat finish!

























Support Leg

Tools Checklist:

Tape Measure

- 3/8" Hex Head Socket Rubber Mallet
- #2 Square Driver
- Wax Pencil

Hacksaw

Drill Bits

Drill



100% PURE ALUMINUM



PREMIUM MANUFACTURING



INNOVATIVE PRODUCTS



A COMPLETE SOLUTION



THE GREEN CHOICE!



20-YEAR **WARRANTY**



BUILDING CODE APPROVED

Easy 1-2-3 Installation

Homeowners appreciate the ease of installation while contractors value the reduced amount of time it takes to complete a job.



INSTALL POSTS



INSTALL TOP & BOTTOM RAILS



INSTALL PICKETS OR TEMPERED GLASS PANELS

Inspiring Home Owners, One Deckata Time!



Regal ideas

more ideas at regalideas.com













LADDERS

ITEM #	Т	ELESTEP LADDERS	NON STOCKED ITEMS ARE SHADED
80000		1400E CONSUMER TELESCOPING LADDER [250 LBS RATING, MAX LENGTH 10.5']	424.22
80001		1600E CONSUMER TELESCOPING LADDER [250 LBS RATING, MAX LENGTH 12.5']	522.35
80002		1600ET TACTICAL TELESCOPING LADDER [300 LBS RATING, MAX LENGTH 12.5']	614.74
80003		1600EP PROFESSIONAL TELESCOPING LADDER [300 LBS RATING, MAX LENGTH 12.5']	614.74
80004		1800EP PROFESSIONAL TELESCOPING LADDER [300 LBS RATING, MAX LENGTH 14.5']	709.91



- 6ft & 8ft Pre-Assembled Panels
- 6ft Component System




- Quick and Easy Installation.
- 6ft & 8ft Pre-Assembled Panels.

Matt Textured White

- 6ft Component System.
- Patented Rail Lock System.
- 20 Year Prorated Limited Warranty.

Available Colors:



- Meets and Exceeds Building Codes.
- Premium Powder Coat Finish.
- Code Compliant for Residential,
 Multi-Family and Commercial.











urbanrail **INDEX PAGE** PRE-ASSEMBLED PANELS 1 1 **POSTS** TOP AND BOTTOM RAIL 2 **PICKETS** 2 **GATE** 2 **ACCESSORIES** 3 **FASTENERS** 3 **GLASS OPTIONS** 4

How to Order the Urbanrail® Aluminum Railing System

The following product pages show the Product Codes and Descriptions for every part of the urban rail system. To order all you need to do is fax or email us your list of parts including the part code, the color, description and quantity required.

Contact our Customer Service team below for questions, product assistance and ordering:



1-608-424-9080



1-608-424-9081



orders@customcraftdist.com

Features:

- Pre-Assembled 8ft panels for quick and easy installation. Finished installed height: 42"
- · Also available in a 6ft component system.
- Patented lock-in 5/8" picket system allows pickets to be quickly installed without the use of fasteners and bottom rail support.
- · Constructed of high strength aluminum alloys to meet or exceed national building codes.
- Premium UV powder coated finish provides maximum durability and low maintenance.
- · Twenty year limited warranty on components and ten years on finish.

8FT Pre-Assembled Panel

Code	Description	Qty	Price
16550 16553	6ft Pre-Assembled Picket Rail section 8ft Pre-Assembled Picket Rail section	1 panel	93"
	 Pre-Assembled 8ft (oc) aluminum panel with 5/8" pickets. Finished installed height: 42" These panels are for horizontal decks only and will not work on stairs. (Use URTB6 and URSSP6 for stair railing) Actual length: 93". Gap Covers included with each panel. 		URLS Support Leg required for railing lengths over 4ft. (Sold separately)

Posts for Urban Rail (42" Railing Height)

Code	Description	Qty	Price				
16701	 Urban Corner Post Corner Post for 42" High Urban Rail with 2 sets of welded top & bottom brackets at 90° to connect rails to posts. Post is 2-1/4" square complete with post cap and screwed on 1/4" thick 4" x 4" base plate. 	1 unit					
16700	 Urban End Post End Post for 42" High urban Rail with one set of welded top & bottom brackets to connect rail to post. Post is 2-1/4" square complete with post cap and screwed on 1/4" thick 4" x 4" base plate. 	1 unit					
16702	 Urban Line Post Line Post for 42" High Urban Rail with 2 sets of welded top & bottom brackets, in line for installing multiple sections of rail on a straight run. Post is 2-1/4" square complete with post cap and screwed on 1/4" thick 4" x 4" base plate. 	1 unit					
16703	 Urban Stair Post Stair Post for 42" High Urban Rail is used in stair rail and to accommodate custom angle deck applications. Post is 2-1/4" square complete with post cap and screwed on 1/4" thick 4" x 4" base plate. 	1 unit		URCP	UREP	URLP	URSP

Available Colors: (TW) Textured White, (TB) Textured Black

Features:

- Constructed of high strength aluminum alloys to meet or exceed national building codes.
- Premium UV powder coated finish provides maximum durability and low maintenance.
- Twenty year limited warranty on components and ten years on finish.
- Patented lock-in picket system allows pickets to be quickly installed in railing without the use of fasteners and bottom rail support.
- · Finished railing height is 42"

Top and Bottom Rail for Urban Rail Code Description Qtv Price 16503 1 set **Urban 6ft Top & Bottom Rail** • Top and bottom rails for 6ft(oc) section of Urban Rail. • For use with straight and stair Urban Rail pickets. · Use with URGG Glass Gasket for glass installation. · Actual length is 69". Note: Support Leg (URLS) must be installed under bottom rail, for railing lengths over lengths 4ft. (Sold Separately) **Pickets for Urban Rail** Code Description Qty **Price** 16603 Urban Straight pickets for 6ft 15/pkg **Pickets** lock into · Patented lock-in pickets. place in seconds • Package of 15 standard %" square pickets for a 6ft no screws or bolts! section of 42" high Urban Rail. Package includes 32 aluminum 4" spacers that snap on the top and bottom rails between the railing pickets. URSP6 URSSP6 16653 12/pkg Urban Straight Stair pickets for • Patented lock-in pickets designed for 35° stairs. • Package of 12 angled 5/8" square pickets for a 6' Spacers section of Urban stair railing. **Pickets** Package includes 26 aluminum 5" spacers that snap on the top and bottom rails between the stair railing pickets. **Gate for Urban Rail** Code Description Qty Price Urban 42" High Gate Package (36" width) 1 pkg 16830 • Urban Rail gate package for standard picket 42" high railing. Gate fits openings of up to 36" and can be cut to fit smaller openings. • Gate includes rails, hinge post, latch post, 6 pickets 5/8" square with spacers, hinges and latch. · Constructed of high strength aluminum with a premium powder coated finish provides maximum durability and low maintenance. · Designed for quick and easy installation.

Available Colors: (TW) Textured White, (TB) Textured Black

Accessories and Fasteners

Code	Description	Qty	Price
16812	Urban Angle Bracket set	1 set	
	 Angle brackets are used to fasten Urban Rail top and bottom rails to posts or structure for horizontal angles on decks. Requires 8 fasteners (URCS50) to attach to post. Fasteners sold separately. Constructed of high strength aluminum alloys. 		TOP Swivel
16811	Urban Stair Angle Bracket set	1 set	A .
10011	Stair angle brackets are used to fasten Urban Rail top and bottom rails to posts or structure for stair angles. Requires 8 fasteners (URCS50) to attach to post. Fasteners sold separately. Constructed of high strength aluminum alloys.		swivel swivel swivel
16821	Urban Bottom Leg Support	1 unit	
	 Required for horizontal and stair rail lengths over 4ft. Fasteners sold separately. Constructed of high strength aluminum alloys. 		
16810	Urban Wall Bracket Set	1 set	
	 Top and bottom brackets for attaching Urban Rail top and bottom rails to an existing structure. Requires 6 fasteners (sold separately) 		
	Constructed of high strength aluminum alloys.		[0]
16800	Urban Post Base Plate Cover	1 unit	
	 Two piece nylon/plastic fiber base plate cover for all standard 2.25" square Urban Rail posts. Wraps post at base to hide fasteners and provide a 		
	more finished appearance.		
URFB	Sidemount Post Bracket	1 unit	
	 Fascia mount bracket for End Post, Line Post, Stair Post or Inside Corner Post Fasteners sold separately Constructed of high strength aluminum alloys. 		Top View Side View
URFCB	Sidemount Corner Post Bracket	1 unit	
	For Outside Corner fascia applications Fasteners sold separately Constructed of high strength aluminum alloys.		Top View Side View
17620	Urban Self-Drilling Screws	50/pkg	
	 Package of 50 collated 10 x 3/4" self-drilling screws used to fasten together the various components. Uses #2 square drive. High-grade, zinc plated carbon steel, coated with a rust inhibitor to prolong the life of the fastener. 		mmm.
17619	Urban Self-Drilling Structural Lag Screws	4/pkg	
	 6" structural lag screws that are used for mounting the Urban Rail posts. Uses 3/8" hex head driver. 		
17618	High-grade, zinc plated and double coated for maximum protection against rust and ACQ corrosion.	24/pkg	

Available Colors: (TW) Textured White, (TB) Textured Black --- **NOTE: URSL4/24 in Mill Finish only.

TEMPERED GLASS PANELS

Features:

- Designed for use with Regal Ideas tempered glass panels in conjuction with URTB6 rails.
- Tempered glass thickness is ½" to conform to code specifications in U.S. and Canada.
- Provides railing with an unobstructed view.
- Tempered Glass Warranty: One year limited
- Note: Urban Rail Glass Gasket (URGG) requires NO rubber blocks for glass installation.

Tempered Glass Panels 35 1/8" H x 1/4" T (6mm)


Code	Description	Qty	Price	
	Clear Glass Panel Sizes (Width):			(CTG) CLEAR GLASS PANEL
17306	6" Tempered Glass Panel	1 panel		INSTALLATION DIAGRAM
17309	9" Tempered Glass Panel	1 panel		
17312	12"Tempered Glass Panel	1 panel		
17315	15" Tempered Glass Panel	1 panel		
17318	18" Tempered Glass Panel	1 panel		
17321	21" Tempered Glass Panel	1 panel		
17324	24" Tempered Glass Panel	1 panel		
17327	27" Tempered Glass Panel	1 panel		
17330	30" Tempered Glass Panel	1 panel		
17333	33" Tempered Glass Panel	1 panel		cless panel
17336	36" Tempered Glass Panel	1 panel		
17339	39" Tempered Glass Panel	1 panel		Note: URGG vinyl glass
17342	42" Tempered Glass Panel	1 panel		inserts are to be installed before installing glass
17345	45" Tempered Glass Panel	1 panel		panels
17348	48" Tempered Glass Panel	1 panel		
17351	51" Tempered Glass Panel	1 panel		
17354	54" Tempered Glass Panel	1 panel		
17357	57" Tempered Glass Panel	1 panel		
17360	60" Tempered Glass Panel	1 panel		IMPORTANT URLS Support Leg required
17363	63" Tempered Glass Panel	1 panel		when using glass panels. (Sold separately)
17366	66" Tempered Glass Panel	1 panel		
	1			

Glass Gasket (Required for glass installation)

Code	Description	Qty	Price	
16820	Glass Gasket for Tempered Glass Required when installing tempered glass panels 1 top and 1 bottom glass gasket per set. For use with URTB6 rails Actual length: 69"	1 set		Top Rail Glass Gasket Bottom Rail

TRADITIONS


VINYL RAILING



Traditions Series 100 1.3" Square Balusters




Traditions Series 120 Colonial Balusters



Traditions Architectural Classic Railing 3/4" Round Balusters



To see the full Superior line visit our website:







121 COUNTRYSIDE DRIVE BELLEVILLE, WI 53508 PHONE: 608.424.9080 ATTACH PO AND SEND THIS ORDER TO: FAX: 608.424.9081 EMAIL: ORDERS@CUSTOMCRAFTDIST.COM



SERIES 100 & 120 VINYL RAILING

2021 List Price Book





*Rail pack, balusters, and two bracket packs are needed for each section of railing.

COLORS: W-WHITE, A-ALMOND								
ITEM#	LEVEL RAIL PACKS [RAILS AND INSERTS ONLY]		W	Α				
12603	6' LEVEL SERIES 100/120 RAIL PACK [14 BALUSTERS NEED!	ED]	130.35	158.74				
12605	8' LEVEL SERIES 100/120 RAIL PACK [19 BALUSTERS NEED!	ED]	163.91	206.26				
ITEM#	STAIR RAIL PACKS [RAILS AND INSERTS ONLY]		W	Α				
	6' STAIR SERIES 100/120 RAIL PACK [11 BALUSTERS NEEDE	[D]	147.37	184.21				
12617	8' SERIES 100/120 RAIL PACK [15 BALUSTERS NEEDED]		180.95	226.19				
	BALUSTERS [INDIVIDUAL BALUSTERS ARE NOT RETURNA		W	Α				
70500	31" BALUSTER 1.3" SQUARE FOR 36" TALL SERIES 100 LEV	EL & STAIR [15 PACK]	70.60	85.05				
70549	31" BALUSTER 1.3" SQUARE FOR 36" TALL SERIES 100 LEV	EL & STAIR	5.86	6.45				
70505	37" BALUSTER 1.3" SQUARE FOR 42" TALL SERIES 100 LEV	EL & STAIR [15 PACK]	70.60	85.05				
	37" BALUSTER 1.3" SQUARE FOR 42" TALL SERIES 100 LEV		5.86	6.45				
	31" BALUSTER 1.3" COLONIAL FOR 36" TALL SERIES 120 LE		103.77	114.17				
71763	31" BALUSTER 1.3" COLONIAL FOR 36" TALL SERIES 120 LEVEL AND STAIR			9.06				
ITEM#	BRACKETS [SEE NEXT PAGE FOR MORE OPTIONS]	W	Α					
	SERIES 100/120 LEVEL BRACKET PACK [2 PACK]	11.18	12.29					
	SERIES 100/120 STAIR BRACKET PACK [2 PACK]	12.62	13.88					
	POST SLEEVES AND MOUNTS	W	Α					
53452	4"x4"x39" POST SLEEVE			41.87				
53467	4"x4"x45" POST SLEEVE	39.36	44.98					
31010		3.56	4.19					
31142		4" NEW ENGLAND CAP	10.59	11.65				
33021		4" NEW ENGLAND POST TRIM	7.10	7.78				
39917		4"x36"/42" GALVANIZED ANGLE WIZARD POST MOUNT	78.01					
18609	POST MOUNTING SCREW - CONCRETE (REQ 4 PER MOUNT)	42.48 (24 CT)						
18610	POST MOUNTING SCREW - WOOD (REQ 4 PER MOUNT)		42.48 (24 CT)					




SERIES 100 & 120 VINYL RAILING

		COLORS: W-WHITE, A-ALMOND									
ITEM#	ACCESSORIES		W	Α							
30310		SERIES 100 BRACKET PACK (2 PACK)	11.18	12.29							
30318		SERIES 100 STAIR BRACKET PACK (2 PACK)	12.62	13.88							
30338		45° BRACKET ADAPTER (2 PACK)	22.16	24.39							
30346		SERIES 100 DECKBOARD BRACKET - LEVEL (2 PACK)	20.14	22.14							
30350		SERIES 100 DECKBOARD BRACKET - STAIR (2 PACK)	23.36	25.69							
30354		DECKBOARD BRACKET ATTACHMENT KIT	22	.25							
	1.5 OZ. VINYL ADHESIVE - WHITE			61							
	8 OZ. VINYL ADHESIVE - WHITE			.16							
	GATE AND HARDWARE SERIES 100 GATE KIT - 36"x40"		W 365.76	A 399.96							
35315		STD SELF CLOSE ADJ HINGE PAIR - BLACK		.87							
35380		STD LATCH - 1 SIDE - EXTERNAL KEYED - BLACK	35.31								



SERIES 200 VINYL RAILING



COLORS: W-WHITE									
ITEM#	SUPERIOR SERIES 200 RAIL KITS - 36	'HIGH	W						
13010	6' RAILING KIT		232.55						
13012	8' RAILING KIT		310.08						
13014	10' RAILING KIT [SUBJECT TO OVERSI	387.56							
ITEM#	SUPERIOR SERIES 200 STAIR RAIL KIT	W							
	6' STAIR RAILING KIT		232.55						
	8' STAIR RAILING KIT		310.08						
	POST SLEEVES AND MOUNTS		W						
	4"x4"x39" POST SLEEVE		34.56						
53467	4"x4"x45" POST SLEEVE		39.36						
31010		4" PYRAMID CAP	3.56						
31142		4" NEW ENGLAND CAP							
33021		7.10							
39917		4"x36"/42" GALVANIZED ANGLE WIZARD POST MOUNT	78.01						
18609	POST MOUNTING SCREW - CONCRET	42.48 (24 CT)							
	POST MOUNTING SCREW - WOOD (R	42.48 (24 CT)							
10010									



SERIES 200 VINYL RAILING

COLORS: W-WHITE										
ITEM#	ITEM# ACCESSORIES W									
13029		SUPERIOR SERIES 200 LEVEL BRACKETS (4 PACK)	26.79							
13032		SUPERIOR SERIES 200 STAIR BRACKETS (4 PACK)	26.79							
13034		SUPERIOR SERIES 200 WEDGE MOUNT 22 ½° (4 PACK)	19.29							
13035	AP TAY	SUPERIOR SERIES 200 45° WEDGE MOUNT (4 PACK)	8.72							
13040		SUPERIOR SERIES DECKBOARD MOUNT LEVEL (2 PACK)	15.60							
13041	414	SUPERIOR SERIES DECKBOARD MOUNT STAIR (2 PACK)	15.60							
	1.5 OZ. VINYL ADHESIVE - WHITE		9.15							
39697	8 OZ. VINYL ADHESIVE - WHITE		29.44							




ARCHITECTURAL SERIES CLASSIC RAILING

2021 List Price

CLASSIC

36" HIGH 2"x3½" RAILS (100 SERIES) ¾" ROUND ALUMINUM PICKETS



RAIL COLOR: W-WHITE, A-ALMOND								
ITEM#	CLASSIC RAIL PACKS - 36" HIGH		W	Α				
12548	6' RAIL PACK	153.88	158.74					
12550	8' RAIL PACK		200.72	206.26				
ITEM#	CLASSIC STAIR RAIL PACKS - 36" HIGH	W	Α					
12553	6' STAIR RAIL PACK (MAX USABLE LENG	TH 66¾")	153.88	158.74				
12554	8' STAIR RAILING KIT (MAX USABLE LEN	GTH 90¾")	200.72	206.26				
ITEM#	CLASSIC BALUSTERS		GBL, GBZ, GWH	KONA				
71928	31" CLASSIC BALUSTER ¾" ROUND (LEVE	EL AND STAIR)	4.80	6.60				
ITEM#	POST SLEEVES AND MOUNTS		W	Α				
53452	4"x4"x39" POST SLEEVE		34.56	41.87				
53467	4"x4"x45" POST SLEEVE		39.36	44.98				
31010		4" PYRAMID CAP	3.56	4.19				
31142		4" NEW ENGLAND CAP	10.59	11.65				
33021		4" NEW ENGLAND POST TRIM	7.10	7.78				
39917	4"x36"/42" GALVANIZED ANGLE WIZARD POST MOUNT 78.0							
18609	POST MOUNTING SCREW - CONCRETE (42.48 (24 CT)						
18610	POST MOUNTING SCREW - WOOD (REQ	42.48 (24 CT)						

 $\frac{TRADITIONS}{\text{VINYL RAILING}}^{\text{TM}}$


ARCHITECTURAL SERIES CLASSIC RAILING

30310 SERIES 100 BRACKET PACK 11.18 12.29	RAIL COLOR: W-WHITE, A-ALMOND									
30318 SERIES 100 STAIR BRACKET PACK (2 PACK) 12.62 13.88 30338 45° BRACKET ADAPTER (2 PACK) 22.16 24.39 SERIES 100 DECKBOARD BRACKET - LEVEL (2 PACK) 20.14 22.14 30350 SERIES 100 DECKBOARD BRACKET - STAIR (2 PACK) 23.36 25.69 DECKBOARD BRACKET ATTACHMENT KIT 22.25	ITEM#	ACCESSORIES		W	Α					
30338	30310			11.18 12.29						
30338	30318		12.62	13.88						
30346 (2 PACK) 20.14 22.14 30350 SERIES 100 DECKBOARD BRACKET - STAIR (2 PACK) 23.36 25.69 DECKBOARD BRACKET ATTACHMENT KIT 22.25 39694 1.5 OZ. VINYL ADHESIVE - WHITE 9.61	30338			22.16	24.39					
30350 (2 PACK) 23.36 25.69 30354 DECKBOARD BRACKET ATTACHMENT KIT 22.25 39694 1.5 OZ. VINYL ADHESIVE - WHITE 9.61	30346			20.14	22.14					
39694 1.5 OZ. VINYL ADHESIVE - WHITE 9.61	30350			23.36	25.69					
	30354	DECKBOARD BRACKET ATTACHMENT KIT			5					
39697 8 OZ. VINYL ADHESIVE - WHITE 29.16	39694	1.5 OZ. VINYL ADHESIVE - WHITE	9.61							
	39697	8 OZ. VINYL ADHESIVE - WHITE		29.1	6					

KIT SIZE	KIT SIZE ENTER KIT QTY		BALUSTERS		TOTAL BALUSTERS			
6, TEAET		Х	15	=				
8' LEVEL		Х	20	=				
10' LEVEL		Х	25	=				
TOTAL BALU	STERS NEED	ED		=				
6' STAIR		Х	12	=				
8' STAIR		Х	17	=				
TOTAL BALUSTERS NEEDED =								

VINYL RAILING











Affordable Elegance

Bring affordable style and safety to your porch or deck without sacrificing performance. The reliable 200 Series increases your home's value and adds low-maintenance security and comfort to your outdoor living.

PROFILE



RAILING COLORS



See page 12-13 for all baluster and color options.

Pictured:

a. White Railing with Black York Balusters b., c. White Railing with White Model Balusters







Character and Safety

The 1000 Series gives your porch or deck a sense of charm and character and brings plenty of added security. Take a deep breath and relax, knowing that you don't have to worry about rail maintenance and can simply enjoy the outdoors.

PROFILE



RAILING COLORS



See page 12-13 for all baluster and color options.

Pictured:

- a. White Railing with White Traditional Balusters
- b. White Railing with Smoke Glass Panel Infill
- c. White Railing with White Heritage Balusters






Contemporary Flair

Customize your railing to your exact specifications with Superior's 3000 Series. This modern rail system comes in four colors with 10 infill options, so you can design the outdoor living area you've always wanted.

PROFILE



RAILING COLORS



See page 12-13 for all baluster and color options.

Pictured:

a. White Railing with Glass Panel Infill b., c. White Railing with White Model Balusters









BALUSTRADE SERIES

A Bold Choice

Make a statement with either of Superior's Balustrade rail series. Prominent balustrade railing is the perfect choice for large installations, like sizeable homes, estates, or country clubs. The 5000 and 7000 Series bring refined sophistication to any outdoor living space.


5000 SERIES PROFILE





7000 SERIES PROFILE





RAILING COLORS*





*7000 Series available in White only. See page 12-13 for all baluster and color options.

Pictured:

- a. White 5000 Series Railing with Denver Balusters
- b. White 5000 Series Railing with Vintage Balusters
- c. White 7000 Series Railing with Belmont Balusters







- Railing Color Options (
- 3 3/16" Wide Top Rail
- Railing Height Options: 36" · 42"
- Railing Length Options: $5' \cdot 6' \cdot 7' \cdot 8' \cdot 10'$




- 3" Wide Top Rail
- Railing Height Options: 30" · 36" · 42"
- Railing Length Options: $4' \cdot 6' \cdot 8' \cdot 10'$

3000 SERIES



- 3" Wide Top Rail
- Railing Height Options: $30" \cdot 36" \cdot 42"$
- Railing Length Options: $4' \cdot 6' \cdot 8' \cdot 10'$

BALUSTER STYLE OPTIONS









- Railing Color Options -6 1/2" Wide Top Rail
- Railing Height Options: 36" · 42"
- Railing Length Options: 4' · 6' · 8' · 10'

COLOR OPTIONS*

	Vinyl Railing			Vinyl Balusters			Aluminum Balusters				Glass		
		ALMOND	BLACK			ALMOND	BLACK	WHITE	KONA	BRONZE	BLACK	CLEAR	
T	T	T		T	T	T		T	T	T	T	T	T
8	8	8	8	8	8	8	8	8	8	8	2	8	2



COLOR OPTIONS*

Powder-coated die-cast aluminum

















SPECIAL ORDER COLOR OPTIONS*















POST & ACCENT LIGHTS

Sizes available for 21/2", 31/4" and 4" Posts

POST CAP LIGHTS

3000k LED



3000k LED



3000k LED

POST & STAIR

ACCENT LIGHT









DECORATIVE



PYRAMID



DECORATIVE



PYRAMID

DECORATIVE

LIGHTING ACCESSORIES

LIGHTING CONTROL HUB & POWER SUPPLY



- Timer lets you choose 1-9 hours of light, or dusk-to-dawn
- Dimmer mode with 9 brightness levels
- · Adjustable photocell sensor to control for ambient light
- Walk Away feature for safe exiting before lights go out
- Aluminum housing in 15 color options
- Power Supply available in 12w or 60w
- the 12-watt Power Supply can supply up to 12 lights*
- the 60-watt Power Supply can supply up to 60 lights*

*Please see the Resources page at *placidpointlighting.com* for exact numbers of lights that can be used with each power supply.

POST LIGHT WIRE KIT

KIT INCLUDES:

- Staples
- 2-way splitter
- 5' and 9' wire extensions

WIRE EXTENSIONS, WIRE SPLITTERS

WIRE EXTENSIONS:

- 2', 5', 9' Lengths Available
- WIRE SPLITTER KITS:
 - \bullet 2-Way Kit: Includes (1) 8" input cable to (2) 8" output cables
 - 3-Way Kit: Includes (1) 8" input cable to (3) 10" output cables

5" POST ADAPTER

- Made to fit fence posts
- Fits 5" Posts
- Uses 4" Cap for 5" Post






STRUCTURAL PORCH POSTS

Enduring Design

These 9' structural vinyl posts bring classic style to your porch, while pairing perfectly with your Superior Railing. Their dependable, low-maintenance design means you can enjoy them worry-free for years.



STRUCTURAL COLUMNS

Dependable Strength

Superior's 9' and 10' structural columns are built for durability and beauty. Available in round or square styles and in a variety of colors, columns complement Superior Railing and add refinement to your home.



POST CAPS




POST TRIM




NEWEL POSTS





ADA ALUMINUM HANDRAIL

ADA Aluminum Handrail adds safety and security without compromising on looks! This handrail is designed to coordinate perfectly with Superior's existing railing for a beautiful, functional, and safe railing system.



STOCK COLORS





ALUMINUM GATE RETURN (+ O)



260 Jalyn Drive | New Holland, PA 17557 1-800-633-7093 | **superiorplasticproducts.com**





ALUMINUM SECONDARY HANDRAIL

COLORS: TEXTURED BLACK (TBL), TEXTURED BRONZE (TBZ), GLOSS WHITE (GWH)					
ITEM#	1½" ROUND S	SECONDARY HANDRAIL	NON-STOCKED ITEMS ARE SHADED		
18500		1½"x104" ROUND HANDRAIL (J)	97.54		
18501		1½" STRAIGHT CONNECTOR (E)	11.89		
18502		0-90° UNIVERSAL ANGLE CONNECTOR (M)	25.02		
18507		1½" END CAP (B)	4.98		
18505	٦	1½" STANDARD MOUNTING BRACKET (D)	26.24		
18504		1½" 90° ELBOW/RETURN BRACKET (P)	48.62		
18506	2	6" CORNER MOUNTING BRACKET (L)	44.56		
18503		1½" OUTSIDE ELBOW (O)	17.68		
18510		5° RADIUS ELBOW (F)	29.86		
18509		34° RADIUS ELBOW (H)	29.86		
18511		90° RADIUS ELBOW (K)	29.86		
18508		"P" LOOP RETURN (C)	53.34		



<u>TRADITIONS</u> POSTS - CAPS - TRIMS - LINEALS

COLORS: W-WHITE, A-ALMOND						
	POST SLEEVES AND MOUNTS		W	Α		
53452	4"x4"x39" POST SLEEVE		34.56	41.87		
	4"x4"x45" POST SLEEVE		39.36	44.98		
55341	4" COLONIAL NEWEL POST (36" RAIL ONLY -	POST MOUNT REQUIRED)	142.33	N/A		
39917	4"x36"/42" GALVANIZED ANGLE WIZARD POST MOUNT		7	8.01		
39919		5"x36"/42" GALVANIZED ANGLE WIZARD POST MOUNT	7	8.01		
18609	POST MOUNTING SCREW - CONCRETE ((REQ 4 PER MOUNT)	42.48 (24 CT)	679.81 (400 CT		
18610	POST MOUNTING SCREW - WOOD (REQ		42.48 (24 CT)	679.81 (400 CT		
ITEM#	PORCH POST SLEEVES		W	Α		
53541	4"x4"x108" POST SLEEVE		81.03	89.85		
51998	5"x5"x108" POST SLEEVE		56.80	N/A		
	6"x6"x108" POST SLEEVE [SUBJECT TO	OVERSIZE FREIGHT FEE]	86.48	N/A		
	STRUCTURAL PORCH POSTS		W	A		
	5"x5"x108" SQUARE LOAD BEARING PC	DST	272.68	N/A		
55033 ITEM#	33	5"x5"x108" COLONIAL LEXUS LOAD BEARING POST	283.61 W	N/A		
	POST WRAPS AND ADJUSTABLE TRIMS					
55037		4"x4"x108" POST WRAP - 4 PIECE	169.12	186.05		
55044		6"x6"x108" POST WRAP - 4 PIECE	182.39	200.63		
33809		4"-6½" ADJ. POST WRAP TRIM - 4 PIECE	14.96	17.40		
ITEM#	POST CAPS AND TRIMS		W	А		
31010		4" PYRAMID CAP	3.56	4.19		
31016		5" PYRAMID CAP	4.84	5.33		



COLORS: W-WHITE, A-ALMOND				
ITEM#	POST CAPS AND TRIMS		W	Α
31142		4" NEW ENGLAND CAP	10.28	11.31
31148		5" NEW ENGLAND CAP	16.31	17.91
31030		5" GOTHIC CAP	19.08	21.04
33021		4" NEW ENGLAND POST TRIM	6.89	7.55
33023		5" CLASSIC POST TRIM	13.85	N/A
33027		6" PRINCETON POST TRIM	24.18	26.58
	LINEALS		W	Α
	2"x3½"x72"		50.30	55.34
	2"x3½"x96"		63.90	73.80
60368	2"x3½"x196"		134.16	147.49



PLACID POINT LOW VOLTAGE LIGHTING



STOCKED COLORS:	GLOSS WHITE , TEXTURED BLACK, TEXTURED BRONZE, TEXTURED WHITE
SPECIAL ORDER COLORS:	CLAY, GLOSS BLACK, GLOSS BEIGE, GLOSS BRONZE, HUNTER GREEN, KONA, SPECKLED WALNUT

		SS BEIGE, GLOSS BRONZE, HUNTER GREEN, KONA, SPECKLED	
ITEM #	ALUMINUM POST LIGHTS		STOCKED
38070		POST AND STAIR ACCENT LIGHT	31.31
ITEM #	ALUMINUM POST CAPS		STOCKED
III EIVI II			
38010		2½" DECORATIVE (FLAT) LIGHT	80.01
38012		3¼" DECORATIVE (FLAT) LIGHT	85.18
38050		2½" DECORATIVE (FLAT) DOWNLIGHT	80.01
38052		3¼" DECORATIVE (FLAT) DOWNLIGHT	85.18
ITEM #	LIGHTING ACCESSORIES		
38100		POST LIGHT WIRE KIT (2-WAY SPLITTER, 5' & 9' EXTENSTIONS)	51.41
38105		2' WIRE EXTENSION	11.13
38107		5' WIRE EXTENSION	15.49
38109		9' WIRE EXTENSION	18.89
38112		2-WAY WIRE SPLITTER	20.06
38113	M	3-WAY WIRE SPLITTER	34.86
38120	* Timer * Dimner * Photo	12 WATT POWER SUPPLY (TBL/GWH)	319.93
38124	PlacidPointLighting.com	60 WATT POWER SUPPLY (TBL/GWH)	470.91



LMT LOW VOLTAGE LIGHTING

COLORS: W-WHITE, A-ALMOND, B-BLACK, TBL-TEXTURED BLACK, TBZ-TEXTURED BRONZE, TWH-TEXTURED WHITE [SPECIAL ORDER COLORS ARE SHADED]				
ITEM #	POST CAP LIGHTS		w	TBL, TBZ, TWH
38202		2½" ORNAMENTAL	46.37	53.17
38211		3¼" ORNAMENTAL	50.74	58.52
38201		2½" ORNAMENTAL COMBO LIGHT [HALO LENS & DOWNLIGHT]	73.76	89.77
38210		3½" ORNAMENTAL COMBO LIGHT [HALO LENS & DOWNLIGHT]	74.38	95.23
38313		4" NEPTUNE	50.43	N/A
38315		4" NEPTUNE DOWNWARD	45.85	N/A
38258		4" CAPE MAY	45.85	N/A
38260		4" CAPE MAY DOWNWARD	49.09	N/A



LMT LOW VOLTAGE LIGHTING

COLORS: W-WHITE, A-ALMOND, B-BLACK, BZ-BRONZE [SPECIAL ORDER COLORS ARE SHADED]						
ITEM #	MISCELLANEOUS LIGHTING	•	W	В	Α	BZ
38350		STAIR/SIDE LIGHT	12.17	N/A	13.40	N/A
38358		DOME SIDE LIGHT	16.70	N/A	18.36	N/A
38249		ORNAMENTAL SIDE LIGHT	13.75	13.75	15.12	N/A
38248		FLUSH DECK LIGHT [TRIM SOLD SEPERATELY]		8.	90	
38244	SHOWN ON FLUSH DECK LIGHT ABOVE	FLUSH DECK LIGHT TRIM (BAG OF 10)	17.76	17.76	N/A	23.22
38380		2' HARNESS		4.	57	
38382		5' HARNESS			90	
38384		7' HARNESS		8.	49	
38386		9' HARNESS		10	.15	
38397		2 OUTPUT SPLITTER		5.	53	
38398		5 OUTPUT SPLITTER	10.92			
38400	8	12 VOLT/12 WATT POWER SUPPLY [DIMMER SOLD SEPARATELY]		71	.02	
38401	IN I	12 VOLT/50 WATT POWER SUPPLY W/ DIMMER		248	3.60	
38399		DIMMER FOR 12 WATT POWER SUPPLY		62	.13	



LMT SOLAR LIGHTING

	: W-WHITE, A-ALMOND, B-BLACK, TBL-TEX	TURED BLACK, TBZ-TEXTURED BRONZE,		
ITEM #	POST CAP LIGHTS		W	TBL, TBZ, TWH
38521		2½" ORNAMENTAL	70.95	75.65
38531		3¼" / 3½" ORNAMENTAL	76.96	81.97
38520		2½" ORNAMENTAL DOWNWARD	70.95	75.65
38530		3¼" / 3½" ORNAMENTAL DOWNWARD	76.96	81.97
ITEM #	POST CAP LIGHTS		W	Α
38558		4" CAPE MAY	54.49	59.92
38560		4" CAPE MAY DOWNWARD	57.79	63.56
38613		4" NEPTUNE	54.50	59.92
38615		4" NEPTUNE DOWNWARD	57.80	63.56
ITEM #	MISCELLANEOUS LIGHTING		W	В
38651		ORNAMENTAL WEDGE SIDE LIGHT	84.47	84.47

PLACID POINT OUTDOOR LED LIGHTING

DIE-CAST & POWDER-COATED LIGHTS FOR POSTS, STAIRS & DECKS







SEE YOUR BACKYARD IN A NEW LIGHT

Create stunning focal points while adding atmosphere to your backyard or deck area. Placid Point Lighting allows you to transform and creatively illuminate all types of outdoor spaces and improve your outdoor enjoyment, all while increasing your home's curb appeal and value.

Placid Point's LEDs emit a warm white light, providing just the right ambiance while adding safety and security to your outdoor living. From our Samsung LEDs to our quality Molex waterproof connectors, Placid Point Lighting is engineered to bring beauty that lasts.



NOW FEATURING Brighter Lights and an Easier-to-Operate Control Hub!







ENERGY EFFICIENT

All of our lighting products have been designed to promote cost savings and environmental sustainability. The long-lasting LEDs in our Downlights and Post

Cap Lights offer a low wattage, ecofriendly approach to safety and accent lighting without sacrificing brightness.

PROPRIETARY CONTROL HUB

Our proprietary control hub is easy to use and comes in an aluminum housing color matched to your lighting package. It gives you all the features you need for a customized lighting experience. You can control the brightness, set your lights to stay on for any length of time or use the default dusk til dawn setting.

SEAL-COATED PROTECTION

Each unit's circuitry is seal-coated with conformal coating to help maintain the product's original condition and maximize longevity. The coating prevents corrosion

by creating a barrier between the electrical components and the elements.

That means this unit will maintain its superior functionality for years to come.





These durable powder-coated, die-cast aluminum products are made with corrosion-resistant protection against the elements. Each one can be powder-coated in any one of the 15 colors available.



SPECIAL ORDER COLOR OPTIONS*



POST & ACCENT LIGHTS

POST & STAIR ACCENT LIGHT

- Perfect for posts, stair risers or deck fascia
- Low-profile downlight with small footprint
- Safely lights decks, steps and walkways
- 2" wide x 1" high
- 3000k LED



POST CAP LIGHTS

- Available in Decorative and Pyramid styles
- Frosted lens diffuses light outward
- Create stunning effects around decks and yard
- Sizes available for 21/2", 31/4" and 4" Posts
- 3000k LED



DECORATIVE PYRAMID

POST CAP DOWNLIGHTS

- · Available in Decorative and Pyramid styles
- · Features 4 lights shining downward
- Our brightest light for maximum effect
- Sizes available for 21/2", 31/4" and 4" Posts
- 3000k LED



DECORATIVE

POST CAPS (NO LIGHTS)

- Complements Placid Point lighting fixtures
- Perfect for additional options and layouts
- Creates economical price point for lighting projects
- Sizes available for 21/2", 31/4" and 4" Posts





PYRAMID

DECORATIVE

LIGHTING ACCESSORIES

LIGHTING CONTROL HUB & POWER SUPPLY

- Timer preset for dusk-to-dawn, or choose 1-9 hours of light
- Dimmer mode with 9 brightness levels
- Adjustable photocell sensor to control for ambient light
- Walk Away feature for safe exiting before lights go out
- Aluminum housing in 15 color options
- Power Supply available in 12w or 60w
- The 12-watt Power Supply can supply up to 12 lights*
- The 60-watt Power Supply can supply up to 60 lights*



*Please see the Resources page at placidpointlighting.com for exact numbers of lights that can be used with each power supply.

POST LIGHT WIRE KIT

KIT INCLUDES:

- Staples
- 2-way splitter
- 5' wire extension
- 9' wire extension



WIRE EXTENSIONS

AVAILABLE IN:

- 2' length
- 5' length
- 9' length



3-WAY WIRE SPLITTER

KIT INCLUDES:

• (1) 8" input cable to (3) 10" output cables


2-WAY WIRE SPLITTER

KIT INCLUDES:

• (1) 8" input cable to (2) 8" output cables

5" POST ADAPTERS

- Adapter to fit 5" Posts
- Uses 4" Cap for 5" Post



5" ADAPTER



2" POST ADAPTERS

- · Adapter to fit 2" Posts
- Uses 2-1/2" Cap for 2" Post



2" ADAPTER





VINYL PERGOLA COMPONENTS

	COLORS: W-WHITE, A-ALMOND [SPECIAL ORDER ITEMS ARE SHADED]					
ITEM#	POSTS		W	Α		
87100	6"x6"x90" BLANK POST [REQUIRES COLUN		116.46	128.08		
87102	8"x8"x90" PERGOLA TAPERED COLUMN [F	REQUIRES COLUMN MOUNT]	345.21	380.43		
ITEM#	COLUMN MOUNTS					
87150	6" SQUARE COLUMN MOUNT			9.82		
87152	8" ROUND TAPERED COLUMN MOUNT).50		
ITEM#	BEAMS AND RAFTERS		W	Α		
85012	2"x6"x144" HOLLOW		89.94	98.95		
85016	2"x6"x192" HOLLOW		119.93	131.91		
85512	2"x8"x144" HOLLOW		128.24	141.04		
85516	2"x8"x192" HOLLOW		170.98	188.08		
ITEM#	BEAM AND RAFTER INSERTS		4.54			
39840	2"x6"x144" ALUMINUM INSERT 2"x6"x192" ALUMINUM INSERT).09		
39844	2"x8"x144" ALUMINUM INSERT			3.45 2.50		
39848 39850	2"x8"x192" ALUMINUM INSERT			0.02		
ITEM#	CANOPY		W	A A		
86010	%"x3"x192" PICKET		40.57	44.62		
86020	%"x1½"x192" PICKET					
ITEM#	ACCESSORIES		34.66 W	38.13 A		
31149		6" PRINCETON CAP	26.87	N/A		
33027		6" PRINCETON TRIM	24.18	26.58		
33029		6" FEDERAL TRIM (2-PIECE)	19.20	18.12		
87141	10.54	6" SQUARE BEAM MOUNT ASSEMBLY	167.37	184.11		
87142	2874.	8" ROUND COLUMN BEAM MOUNT ASSEMBLY	198.82	N/A		



VINYL PERGOLA COMPONENTS

	_		_	
ITEM#	ACCESSORIES		W	Α
	COLORS: W-WHIT	E, A-ALMOND [SPECIAL ORDER ITEMS ARE SHADED]		
33030		8" ROUND TAPERED COLUMN TRIM SET (3-PIECES)	121.21	N/A
32017		%"x3" DOG EAR PICKET CAP - SELF-LOCKING	3.20	3.50
32024		%"x1½" SPADE PICKET CAP - SELF-LOCKING	3.20	N/A
87119		2"x6" PERGOLA SCROLL CAP	38.68	42.53
87122		2"x8" PERGOLA SCROLL CAP	47.72	50.95
87133		2"x6" FLAT CAP	5.52	6.06
87138		2"x8" FLAT CAP	11.10	12.21
87165		2"x6" BEAM/RAFTER COUPLER	15.67	17.22
87173		2"x8" BEAM COUPLER	21.90	24.09
ITEM#	HARDWARE		W	Α
87316		RAFTER CLIP - POWDER COATED STAINLESS STEEL	6.31	6.96
87375	THE STATE OF THE S	2"x6" RAFTER BRACKET (FOR ATTACHED PERGOLAS)	27.91	30.69
39210	1"x¾" HINGED BOLT COVER [25 PK]		36.25	36.25
36225	1" HOLE PLUG		0.71	0.80
36218	5/8" HOLE PLUG		0.36	0.43
39111	#8x1" SS PAN HEAD SCREW (#2 SQ TIP)		3.94 (25 CT)	4.38 (25 CT)
39112	#8x2" SS PAN HEAD SCREW (#2 SQ TIP)		7.62 (25 CT)	8.67 (25 CT)
39697	8 OZ. VINYL ADHESIVE - WHITE		29	.44



SUPERIOR PERGOLAS

High-quality structural vinyl pergolas with a variety of sizes, colors and styles available.

What is a Pergola?

A pergola is an outdoor structure comprised of wood, vinyl or aluminum and used to define an outdoor space with select variations of shade or privacy. Pergolas are also a practical solution for protecting a homeowner's outdoor space from direct contact with the elements.

How are they typically used?





CUSTOMIZE YOUR VINYL PERGOLA

CHOOSE YOUR OPTIONS:

1. Size 2. Color 3. Support Columns 4. Roof Style 5. Shade Cover


1) SIZE OPTIONS*

8' x 12'	10' x 10'	12' x 12'	16' x 16'
8' x 16'	10' x 12'	12' x 16'	16' x 20'
8' x 20'	10' x 16'	12' x 20'	
	10' x 20'		

2)COLOR**



(3) SUPPORT COLUMNS



4)ROOF STYLE



Straight Rafters



Arched Rafters 12' X 12' Maximum

5) SHADE COVER



1-1/2" Square



1-3/4" Square



Lattice



7/8" x 3" Louvered









Plymouth Arbor 50" W x 88" H x 32" D



Pergola Arbor 50" or 66" W x 81" H x 36" D



Kingston Arbor 50" or 66" W x 84" H x 32" D



Madison Arbor 50" or 66" W x 84" H x 32" D



Jefferson Arbor 50" or 66" W x 80" H x 32" D



2 Hoop Arbor 36" W x 82" H x 26" D 48" W x 87" H x 26" D

Color Options*:



4" LAMP POSTS

Features an internal aluminum pipe for added strength! Whether functional or decorative, our quality Vinyl Lamp Posts will add to the beauty and value of your outdoor living space.



- Lamp Post Caps Available in 4" & 5"
- Can be used with any 4" or 5" Square
- Cap Included with the Manchester Lamp Post
- Light Fixture Not Included





Includes Lamp Cap
**Lamp Post (Adapter) Cap Not Needed for

Standard 4" Lamp Posts. (Fits Most Light Fixtures)

MAILBOX POSTS






Aluminum Colors



TRELLISES



A Breath of Fresh Air

Superior's lattice products are perfect for use on outdoor projects that require a semi-private screen or dividing panel. Vinyl lattice is far superior to traditional wood lattice, since neither poly nor vinyl lattice will separate, split, or splinter, and it will never need to be sealed or painted. C & H-channels available for finishing.



A Stylish Way to Garden

Vinyl raised beds, planter boxes, and cold frames provide a wonderful way to grow your flowers, herbs, and vegetables. Place them wherever is convenient! These easy-to-clean items won't rot or fall apart, and they're engineered to last for years.

RAISED BEDS



PLANTER BOXES



STACKING KITS

Each Kit includes: (2) 16 7/8" H-Channels (1) 65 1/8" H-Channel (2) Longer Corner Connectors



2' x 6' x 8" Stacking Kit (shown with a 4' x 6' x 8" Raised Bed)



2' x 6' x 12" Stacking Kit (shown with a 4' x 6' x 12" Raised Bed)

COLD FRAME



Vinyl Color Options*:





PICNIC TABLES



Picnic Table 6' or 8' Long



Picnic Tablewith Detached Benches
6' Long

PARK BENCH



5' Park Benches Leg Options - Black or Green Rail Options - White or Almond

ACCENT CORNER



Classic Picket Accent Corner 11/2" or 3" (6' Sections)

Vinyl Color Options*: -





Superior Plastic Products

260 Jalyn Drive New Holland, PA 17557 1-800-633-7093 | **superiorplasticproducts.com**





STANDARD FENCE OFFERING FOR 2021 Lead time: 6-8 Weeks

Style	Height	Pkt. Spacing	Colors*
Cambridge Picket	4'	2"	W & A
Cambridge Privacy	4' & 6'	2	W & A
Cambridge Privacy	6'		C
Fairfield	5 & 6'	2.72"	W & A
Fairhaven	5 & 6'	2"	W & A
Jackson	4'	1.5"	W & A
Jefferson Privacy w/Lattice	6'		W & A
Lexington	4'	2.72"	W & A
Stratford	4'	2"	W & A
Traditions Privacy	6'		W, DW & CC
Victorian	4'	2.72	W & A
Washington Privacy w/Pkt.	6'		W & A

NON-STANDARD FENCE Lead time: 6-12 weeks

Style	Height	Pkt. Spacing	Colors
Cambridge Picket	4'	1 & 3"	W & A
Cambridge Privacy	5'		W & A
Columbia Concave (Replaces Charleston)	3' & 4'	2" & 3"	W & A
Concord	5'	2.72"	W & A
Fairhaven	5 & 6'	1" & 3"	W & A
Franklin	4'	1.5"	W & A
Jamestown	4'	2.72"	W & A
Jackson	5' & 6'	1.5"	W & A
anch Rail 2,3, & 4 Rail		W & A	
Stratford	4'	1 & 3"	W & A
Yorktown	4'	2.72"	W & A

NOTE: Lead times are estimates only, may change without notice, and are subject to product availability

*W= White, A=Almond, C = Clay, DW = Dark Walnut/Chestnut Brown, CC = Coastal Cedar/Aged Cedar

(02/03/21)

Please Contact Custom Craft for Pricing

121 COUNTRYSIDE DRIVE BELLEVILLE, WI 53508 PHONE: 608.424.9080

VINYL FENCE









PICKET FENCE


For Timeless Charm

Create inviting outdoor spaces or accentuate your yard with Superior's picket fence. Our picket fences are both appealing and functional, so you don't have to sacrifice looks for security. Three of four styles come with routed pickets, for a "neighbor-friendly" fence that looks the same on either side.

COLORS*




See pages 6-7 for style and color availability.







CLASSIC Routed Through Pinched Top Pickets



Available Sizes:

36" •

48" •

57" •

Available

Sizes:


48" ••

60" •••

72" •••










COLUMBIA

Notched Dog Ear Style Top Pickets








NEW ENGLAND

Square Notched Pointed Top Pickets





Available Sizes:

36" •

48" •

Available

Sizes:

36" •

48" •





YARD FENCE

For Tasteful Comfort

Add style, value, and security to your outdoor living area with a low-maintenance Superior yard fence.

A variety of styles and colors make customization easy, so you can get a one-ofa-kind fence to appreciate for years.

COLORS*



See pages 10-11 for style and color availability.












Available Sizes: 48" •



VICTORIAN








Available Sizes:

36" ● 48" ● 60" ● 72" ●



BARON








Available Sizes: 36" • 48" • 60" • 72" •
















Available Sizes: 36" • 48" • 60" • 72" •-



IMPERIAL





Imperial Sizes:

- 36" •
- 48" •
- 60" ••
- 72" ••



Imperial with Lattice Sizes:

- 60" ••
- 72" ••





PRIVACY FENCE

For a Relaxing Retreat

Turn your yard into a place where you can truly get away. Superior's easy-to-install privacy fence, with either tongue-and-groove or interlocking pickets, transforms any backyard into a private oasis.

COLORS*



See page 14 for style and color availability.













Available Sizes: 56.5" • 72" •



























For Classic Style

Give your property the traditional, timeless look of a post and rail fence. These rails slide easily into place for quick install, are built to last, and are safe for animals. Plus you don't have to worry about maintenance, so you can spend your time on more important things.

COLORS*



See page 16 for style and color availability.